

# Rockland® Mill Mist 'S'

■ Authorized by U.S.D.A. for use in federally inspected meat, poultry and egg processing plants.


■ A synthetic Pyrethroid for controlling the following household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Fruit Flies, Wasps, Hornets, Yellow Jackets, Cockroaches, Bedbugs, Fleas, Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Insects (adults of Confused flour beetles, Saw-toothed grain beetles, Shiny spider beetles), Grain mites, Sowbugs, Centipedes and Millipedes.

### ACTIVE INGREDIENT:

*Resmethrin.....	0.250% w/w
Related compounds.....	0.034%
**OTHER INGREDIENTS.....	99.716%
	100.000%

\*Cis/trans isomers ratio: max. 30% (+/-) cis. and min. 70% (+/-) trans.

\*\*Contains Aromatic Petroleum Solvent.



KEEP OUT OF REACH OF CHILDREN

## CAUTION

See Side Panel for Additional Precautionary Statements.

Net Contents:

<b>FIRST AID</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment	
<b>If in Eyes:</b>	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
<b>If Swallowed:</b>	-Call poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by the poison control center or doctor. -Do not give anything by mouth to an unconscious person.
<b>If on Skin or Clothing:</b>	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
<b>If inhaled:</b>	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. -Call a poison control center or doctor for further treatment advice.
<b>NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.</b>	
<b>For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.</b>	

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION:** Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS:** This pesticide is highly toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters. Do not spray on turf or plants. When using 5 gallon container or larger for commercial or institutional application, do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS:** Extinguish open flame before space spraying. This formulation is combustible. **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT.** Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

**INDOORS: SPACE SPRAY:** To kill houseflies, mosquitoes, and gnats: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft.

from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray at the rate of 5 fl. oz. per 5,000 cu. ft. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

**CONTACT SPRAY:** To kill cockroaches, fleas, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes: Adjust spray to produce large wetting-type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

**TO KILL BEDBUGS:** Apply as a spot treatment to cracks and crevices around base boards, floorboards, bed boards and walls. Thoroughly clean and air mattresses and springs. For persistent infestations, consult professional applicator.

**TO KILL FLEAS:** Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter treated area.

**TO KILL WASPS, HORNETS, YELLOW JACKETS:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

**TO KILL SPIDERS:** Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

**TO KILL ANTS:** Spray doors, around window frames, ant hills and trails.

**TO KILL GRAIN INSECTS:** Adults of confused flour beetles, saw-toothed grain beetles shiny spider beetles. Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

**THERMAL APPLICATIONS:** This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

For the control of houseflies, mosquitoes and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fl. oz. per 1,000 cu. ft. of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at

least one-half hour. Do not remain in treated areas. Ventilate the area after treatment. Sweep up and destroy fallen insects. Repeat treatment as necessary.

**OUTDOORS:** To control nuisance pests around buildings, patios and paved areas: apply as a contact spray. spray directly on insects. Avoid spraying turf or plants. **ANTS AND FLEAS:** Same as directed for indoor use. **WASPS, HORNETS, YELLOW JACKETS:** Same as directed for indoor use. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturation in and around nest openings. Contact as many insects as possible. **EARWIGS, SOWBUGS, SPIDERS, CENTIPEDES AND MILLIPEDES:** Apply as a contact spray, as for indoor use. To control named flying and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants. **THERMAL APPLICATIONS:** This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle size within the aerosol size range. For reduction in annoyance from houseflies, mosquitoes, and gnats in yards, patios, around swimming pools, picnic areas, camp sites, drive-ins, and horse stables, and other **SMALL AREA** applications.

Hold thermal applicator at least 5 ft. away from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3 3/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 m.p.h. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

**STORAGE AND DISPOSAL - STORAGE:** Store unused material in original, closed container only, in a locked, dry storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide or pesticide rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL: ONE GALLON -** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash. Rinse thoroughly before discarding in trash. **FIVE GALLONS & LARGER -** Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

**HOMEOWNER DISPOSAL: If Empty:** Do not reuse this container. Do not rinse unless required for recycling. Place in trash. **If Partly Filled:** Call your local solid waste agency or 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this

material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-316  
EPA Est. No. NJ-572-01  
Product C316\_\_

Manufactured by  
Rockland Corporation  
West Caldwell, NJ 07006