In these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e).



Joseph M. Cavano Acting Product Manager (17) Insecticice -Rodenticice Branch Registration Division (YS-7670)

Lic losures ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	August 10/8/
FPA F \$170.4 (Pay 5.74)	

39556: I:King: C-10: KENCO: 8/5/87: 8/14/87: EK: vo: JH: TED

וועט.ובוווו.

"INC.

SUPER H-S FLY SPRAY

WEST CALDWELL, N. J. GZOOZ-0809

Synergized Pyrethrin Fogging Formula for Fogging Equipment and Wand Sprayers.

Use in Animal Quarters and Milk Rooms to Kill Listed Flying Insects and for Use on Horses, Dairy Cattle & Beef Cattle to Kill Listed Insects Attaching Animals.

For Use in the Home and in Food and Non-Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Notels, Schools, Theaters, Kennels, Hospitals, Restaurants, Garages.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl butoxide, technical	1.00%
*N-Octyl bicycloheptene dicarboximide	1.67%
INERT INGREDIENTS	96.83%
11	00.00%

*Equivalent to .80% (Butylcarbityl)(6-propylpiperonyl) ether and 20% related compounds.

-MGKR 264, Insecticide Synergist.

EPA Reg. No. 572-

EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN (12 pt. type)
CAUTION (18 pt. type)

See Back Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

BEST AVAILABLE COPY

THIS PRODUCT CONTAINS PETROLEUM DISTILLATE.

IF SWALLOWED: Do not induce vomiting. Petroleum distillate may cause aspiration. Call physician or Poison Control Center immediately.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove to uncontaminated atmosphere.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Launder clothing before reuse.

ACCEPTED

Rockland Chemical Co
West Caldwell, New Jersey 07066

Net Contents

Gallons

MCh COMMENTS In EPA Letter Daied:

Under the Pinkerst insertifies.
Furnicides and Resistance Art
can amount for the personal
architectural and EPA Mrs. See

3010

Υį

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry shell egg grading and egg products inspection programs. After spraying in meat packing plants, bakeries, and other fooe processing plants, all equipment, benches, shelving, etc. where exposed food will be handled must be washed with an effective cleaning compound and rinsed with potable water to remove all traces of contamination.

Remove pets, birds and cover fish aquariums before spraying. When using in animal flousing areas, do not apply directly to water, food or feed supplements. Do not contaminate milk or milk handling equipment with this spray.

NOTE: When used in hospitals, patients should be removed prior to treatment.

Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste.

Physical or Chemical Hazard

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Domestic Animal Fly Control

TO KILL FACE FLIES, HORN FLIES, STABLE FILES, DEER FLIES, HOUSEFLIES, GNATS AND MOSQUITOES ATTACKING DAIRY AND BEEF CATTLE AND HORSES: Remove mucous secretions and saliva deposits from face of animal. Using hand-held sprayer, lightly: coat animal with a sweeping motion. Apply to back, belly, ear or let regions where the specific attacking insect feeds. Do not spray entire animal. Spray young animals sparingly. Do not apply to back of horses prior to saddling: Repeat daily, or as needed, for protection. Wash cow's udders and teats before milking. Avoid overspraying which will result in wetting the animal's hide.

BLOI MANILABLE COPY

TO KILL HOUSEFLIES, STABLE FLIES, HORN FLIES, DEER FLIES, MOSQUITOES, GNATS, WASPS, AND SMALL FLYING MOTHS IN MILK ROOMS AND ANIMAL QUARTERS SUCH AS DAIRY, BEEF, HORSE, SHEEP AND SWINE BARNS: Cover or remove exposed food, feedstuffs, mineral supplements and water troughs. Close animal barn as tightly as possible. Using a suitable ULV cold aerosol generator, direct spray upward and apply until the room is filled with mist. Vacate premises, and keep building closed for 10 to 30 minutes. Ventilate thoroughly prior to reentry. Repeat application as necessary.

NOTE: This product will kill the above-listed insects, thoroughly fog loafing area when wind is near calm. Repeat as necessary to control insects.

PEST MANAGEMENT IN Homes and in Food and Nonfood AREAS and Commercial Establishments.

Observe all precautions in "Hazards to Humans and Domestic Animals" Statement.

SPACE SPRAY

TO KILL FLIES, MOSQUITOES AND GNATS: Close room and discharge spray mist as described above. Use a dosage of 1/2 to 1 fluid ounce per 1,000 cu. ft. of room space/ Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

TO KILL THE ADULT AND ACCESSIBLE FORMS OF INSECT PESTS* OF STORED FOOD (Stored in Multi-Wall Paper Bags or Cloth Bags) in WAREHOUSES, STORAGE ROOMS AND SIMILAR LOCATIONS: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or used fixed ceiling sprayers that produce a very fine mist. Use a dosage of 1 fluid ounce of this spray per 1,000 cu. ft. of room space. Do not remain in treated area. Ventilate the area after treatment is completed. Repeat application as necessary for insect control.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed
Grain Beetle, Angoumis Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

TO KILL ACCESSIBLE STAGES OF INSECTS* INFESTING DRIED FRUIT PRODUCTS IN STORAGE

OR BEING PROCESSED: Close room or warehouse and shut off all ventilating systems.

Dispense this product as a fine mist in the air above trays or shelves of dried fruit.

Use a spraying device similar to the Microsol machine, or use fixed ceiling aprayers that produce a very fine spray. Do not apply to fruit directly. If

overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cu. ft. of room space. Repeat applications as necessary for insect.....

control, but do not exceed more than ten applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more



petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after the treatment is completed. Miximum dilution is 1 part concentrate plus 5.6 parts oil.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Cockroaches.

SURFACE SPRAY

Use Pressurized Tank Spray for Wetting Contact Sprays.

AS A SURFACE SPRAY TO KILL THE ACCESSIBLE STAGES OF GRANARY INSECTS: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1,000 sq. ft. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For flying moths and beetles, treat as for flies, mosquitoes and gnats. See above) DO NOT APPLY THIS SPRAY TO SURFACES THAT MAY COME IN CONTACT WITH FOOD; EXCESSIVE RESIDUES IN FOOD MAY RESULT.

TO KILL COCKROACHES, SILVERFISH AND WATERBUGS IN SHELTERED SITUATIONS:
Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature.

Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc.

Dispose of whth chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.



CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures. SMALL CONTAINERS(One gallon and less)-Wrap in newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label directions.

US ENVIRONMENTAL PROTECT ... AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

904-428 TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

House and Yard Insect Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Miller Chemical & Fertilizer Corporation P.O. Fox 333, Radio Road Hanover, PA 17331

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Amency requires all registrants of similar products to submit such data.
- 2. Add the phrase "EPA Registration No. 904-428" to your label before you release the product for shirment.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Pefer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Arturo F. Castillo Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Englosures

	ATTACHMENT	IS	APPL	ICAB	LE
--	------------	----	------	------	----

SIGNATURE OF APPROVING OFFICIAL

28/78/

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXH 94375: I: Tavano: C-11: KENCO: 5/15/87: 5/27/87: EK: VO: SJH: dej