

PM 12

572-329

10/5189

10/1

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS.** Caution. Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food or feed. **ENVIRONMENTAL HAZARDS.** To DPHH Insect Spray is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. **CHEMICAL HAZARD:** Do not use or store near heat or open flame. Do not store below 32°F.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**PESTS Indoors**

**General Information:** Use **10 DPHH Insect Spray** to control the pests indicated in the areas listed below by application of the product as undiluted spray (0.5% chlorpyrifos). Repeat the treatment as needed.

Do not apply sprays of this product in conduits, meter housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, or water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

**APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS AND WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES.** For Spot Treatment Only. Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, clover moths, crickets, firebrats, silverfish, and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. **Note:** A period of 4 to 7 days is usually required maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply as a spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs, and furniture, in closets and on shelves, and wherever else these insects are seen or suspected. For control of fleas and brown dog ticks, thoroughly apply as a spray for spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. **DO NOT TREAT PETS WITH THIS PRODUCT.** To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

**PESTS OUT-OF-DOORS**

**FLIES, MOSQUITOES.** For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, and windows and wherever these insects may enter the room. Also treat surfaces around light fixtures, on porches, in garages, and all other places where these insects might congregate. Repeat as necessary. **ANTS, BROWN DOG TICKS, CHICKENS, FLEAS AND EARWIGS.** For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and run ways. Repeat applications as infestations warrant and as conditions occur.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store unused material in closed, original container only in a locked storage area out of reach of children and animals. **DISPOSAL:** Do not reuse empty container. Wrap container in newspaper and put in trash.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than that stated on the label. Buyer assumes all risk of use and for handling of this material when such use and handling is contrary to label instructions.



**LO-ODOR INSECT SPRAY**  
For ROACHES, ANTS, AND OTHER INSECTS

**ACTIVE INGREDIENTS:**

Chlorpyrifos (0,0 diethyl 0 (3, 5, 6, trichloro 2 pyridyl) phosphorothioate) . . . . . 0.50%

**INERT INGREDIENTS**

99.50%

EPA REG. NO. 572-329

EST NO. 572-1111

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for additional precautionary statements

**PROFESSIONAL STRENGTH**


\*This Product contains 0.33% Xylene Range aromatic solvent.

**Net Contents 1 Quart (32 fl. oz.)**

**STATEMENT OF PRACTICAL TREATMENT**

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feed, water supplies. Wash thoroughly after handling. **IF SWALLOWED:** Drink 1 or 2 glasses of water as soon as possible by forcing back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention. **IF ON SKIN:** In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. **IF IN EYES:** Flush eyes with plenty of water. **NOTE TO PHYSICIAN:** Chlorpyrifos is an anticholinergic agent. Anticholinergic symptoms may be treated symptomatically. Atropine only by injection is an antidote.

Manufactured by Buckland Chemical Co., Inc., Wallingford, CT 06495



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Fined by Guidance for Phase 2 Response. Page 2 12, Active to Inert Change in Status.