1694

DEC 14 1993

300 \$ 48.841

Ms. Judith K. Lemm Rockland Corporation P.O. Box 809 Road West Caldwell, NJ 07006

Dear Ms. Lemm:

Subject: Amendment- Revised Labeling

Systemic Rose and Flower Card 8-12-4

EPA Registration No. 572-346

Your Letters Dated April 27 and August 31, 1993

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

- 1. Add the Environmental Hazards section to the labeling as it appears on the last accepted labeling incorporating the revise the **wetlands** statement in accordance to PR Notice 93-3 and 93-8.
- 2. Change Active Ingredients to its singular form, since there in only one active ingredient in this product.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

CCA 12/16/93

# Rockland。 Systemic Rose & Birch Tree Care 8-12-4

■ Plant Food With Systemic Insecticide Protection Against Leafminers And Other Insects As Listed

### 

STATEMENT OF PRACTICAL TREATMENT

IF SWALLDWEE: Call a physician or Poison Control Center immediately, Drink one or two
plasses of water and induce vorniting by touching the back of throat with a finger. Do not
induce vorniting or give anything by mouth to an unconscious or convising person.

IF MINALES: Remove victim to fresh air. Apply artificial respiration if indicated.

If MI STATE: Remove contaminated clothing and wash affected areas with soap and water.

If MI STATE Flush eyes with plenty of water. Call a physician if intation persists.

NOTE TO PHYSICIAN: Disuritoron is an organiophosphate insectione. If symptoms of
cholinesterase inhibition are present, atropine sufface, by injection, is antidotal. 2-PAM
is also antidotal and may be administered with Atropine.

KEEP OUT OF REACH OF CHILDREN

# **WARNING**

See Back Panel For Additional Precautionary Statements.

Net Weight 2 Lbs.

BEST AVAILABLE COPT

ACCEPTED
with COMMENTS
in EPA Letter Dated

ÆEC 1 4 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

572-316

GUARANTEED FERTILIZER ANALY > '5		
Total Nitrogen (N)	**********************	8%
5,6% Ammoniacal Nitrogen		
1.1% Urea Nitrogen		
1.3% Water Insoluble Nitrogen		
Available Phosphoric Acid (P <sub>2</sub> 0 <sub>5</sub> )	1	12%
Soluble Potash (KaO)		4%
Soluble Potash (K <sub>2</sub> 0)	8.0%	
Magnestum (Mg) Total	3.0%	
0.5% Water Soluble Magnesium	**************************************	
	4 00	
Sulfur (S) as Combined	A 409	
Boron (B)		
ron (Fe)	0.4%	
Manganese (Mn) Total	0.05%	
0.01% Water Soluble Manganese		
Molybdenum (Mo)	0.0008%	
Zinc (Zn)	0.05%	
Molybdenum (Mo)	Superphospitate, Amm	muino
Phosphate and Muriate of Potash		
Secondary and Trace Nutrients from Superphosphate, Magnesium Oxide, Am	monium Sulfate Iron S	Sulfate
Sodium Borate, Manganese Oxide, Sodium Molybdate, Zinc Oxide, Magnes		
	ייםורו טעום מומי מימיין	Amiese
Oxy-sulfate.		
Potential Acidity 600 lbs. Calcium Carbonate Equivalent per ton 397-1001		
Chlorine (CI) max		3.1%

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: WARNING: Use this product only in accordance with label directions. May be fatal if swallowed or inhaled. May be absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wear rubber gloves when handling and applying this product.

Do not contaminate feed or food. Keep out of reach of children. Wash thoroughly after handling. Do not apply broadcast applications to lawns. Keep children and pets off treated areas until product is worked into the soil and the treated areas have dried completely. Food utensils such as teaspoon or measuring cup should not be used for food purposes after use with insecticides.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL WARNINGS AND DIRECTIONS.

This product is a scientifically prepared granular plant food especially formulated for ROSE feeding combined with a highly effective systemic insecticide. When used as directed, kills many insects on FLOWERS, SHRUBS AND TREES as listed below. In addition to the control of insects for 4-6 weeks, this product will provide the proper amount of plant nutrients to maintain strong, vigorous plants. WHEN & HOW TO USE: Apply the ready-to-use granules uniformly (per recommended application below) to the soil around the base of the plant. Mix the granules into the top soil, then water. Apply when plants have about 1 inch of new growth in the spring and at 6 week intervals throughout the summer. This product can also be scattered over planting beds and mixed into the top soil before sowing seed or setting bulbs or transplants as directed below.

### RECOMMENDED APPLICATIONS

FOR FLOWERS: To treat Ageratum, Calendum, Carnation, Chrysanthemum,
Delphinium, Petunia & other flowers to control Aphids (plant lice), Lace Bug,
Leafhoppers, Spider mites, Thrips, and Whiteflies:
BEFORE PLANTING: Apply 2 lbs. evenly over 200 sq. ft. (10 x 20 ft.) of

BEFORE PLANTING: Apply 2 lbs. evenly over 200 sq. ft. (10 x 20 ft.) of bed area and work into the top 2 to 3 inches of soil. Sow seed or set plants and water thoroughly. Do not apply additional fertilizer for about 6 weeks.

ESTABLISHED PLANTS: Apply two rounded teaspoonfuls around base of plant, work into soil and water thoroughly.

FOR FLOWERS IN A ROW: Apply two rounded teaspoonfuls per foot of row in a narrow band near the base of plants. Work into top soil and water, thoroughly. Repeat application at 4 to 6 week intervals.

FOR ROSES, SHRUBS AND TREES: To treat ROSES, BIRCH, Azaleas, Camellia, Euonymus, Moraine locust, Pine, Rhododendron, Yews and others, to control Aphids (plant lice), Birch leaf miner, Camellia scale, Holly leaf miner, lace bug, Leafhoppers, Mimosa webworm, Pine tip moth, Spider mites, Tea scale, Thrips, Whiteflies, Soft scale (Coccus hesperidium):

WHEN PLANTING NEW BUSHES: Place 2½ level Tbsp. in the transplant hole with the soil as you fill it. Mix additional 2½ level Tbsp. in the top 1-2 in. of soil Water thoroughly. Do not apply additional fertilizer for about 6 weeks.

POTTED PLANTS: Apply two rounded teaspoonfuls per 6 in. pot by punching a number of small holes into the pot soil with a pencil. Pour granules into holes and thoroughly water the plants. INDOOR PLANTS MUST HAVE A SAUCER TRAY RECEPTACLE BENEATH THE POT CONTAINER WHICH MAKES POT DRAINAGE WATER INACCESSIBLE TO CHILDREN AND PETS. ESTABLISHED GROUND PLANTINGS: Apply 4 to 8 rounded Tbsp. per foot of shrub height. Use the lower rate for shrubs up to 3 ft. and the higher rate for shrubs from 3 to 6 ft in height. Distribute the required amount evenly from the base of shrub to the drip line on all sides of the plant. Work into the top 1 to 2 inches of soil and water thoroughly. Repeat application at 4 to 6 week intervals. if required.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Securely wrap original container in several newspapers and put in trash collection.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage. In case of spillage, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above.

Manufactured for:

Rockland Corporation
West Caldwell, NJ 07006 U.S.A.

EPA Reg. No. 572-346

Product A03502

EPA Est. No. 44616-MO-1