



000572-00355-042299

Printed: 12:54:42 Friday, 21 May, 1999 # 30 / 2896

Systems Integration Group, Inc.

PM03

572-355

4/22/99

560 965

1 of 8



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

572-355

Date of Issuance:

APR 22 1999

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:

Rockland Diazinon
2% Garden Dust

Name and Address of Registrant (include ZIP Code):

Rockland Corporation
P.O. Box 809
West Caldwell, NJ 07007-0809

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Reg. No. 572-355".
 - b. On the front panel claims, revise "Flea If Inhaled Beetles" to "Flea Beetles".

Signature of Approving Official:

Date:

APR 22 1999

page 2 of 2
EPA Reg. No. 572-355

- e. Be sure to meet type size requirements for elements of the label with minimum type size requirements.
3. Submit three (3) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 22 1999

Rockland®

Diazinon 2% Garden Dust

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
572-355

Garden Insect Dust
This product must not be used on golf courses and sod farms.

FOR OUTDOOR USE ON THE HOME GARDEN ONLY

On the Home Garden
On Roses, Flowers, Shrubs, Vegetables, and Small Fruits
Kills: Aphids, Armyworms, Colorado Potato Beetles, Cucumber Beetles, Cutworms,
Flea If Inhaled Beetles, Mites, and other garden pests listed on this label.

AROUND THE HOUSE FOUNDATION:

Kills outdoor nuisance pests
Also kills ticks which may transmit Lyme Disease.
Kills Garden and Outdoor Nuisance Pests.

Active Ingredient:	
Diazinon (CAS No. 333-41-5).....	2.0%
Other Ingredients:.....	<u>98.0%</u>
Total	100.0%

EPA Reg. No. 572-~~355~~ GLL


EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

Net Weight One Pound



DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire **Directions for Use and Conditions of Sale and Warranty** before using this product. If terms are not acceptable, return the unopened product container at once.

CONDITIONS OF SALE AND WARRANTY

The **Directions for Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Rockland Corporation or the Seller. All such risks shall be assumed by the Buyer.

Rockland warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use** subject to the inherent risks referred to above. **Rockland Corporation makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Rockland or the seller be liable for consequential special or indirect damages resulting from the use or handling of this product.** Rockland and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Rockland.

Diazinon Garden Insect Dust quickly kills insects, mites, and other pests listed on this label which damage roses, flowers, shrubs, vegetables, and small fruits, as well as nuisance pests outdoors which can enter the home.

Diazinon Garden Insect Dust

Kills:

Ants, Aphids, Cabbageworms, Cucumber Beetles, Leafhoppers, Mites, Tent Caterpillars, Ticks (including ticks that may transmit Lyme Disease), Whiteflies, and other garden and nuisance pests listed in the directions for use.

Helps to Control:

Fire Ants.

Where To Use:

- On Roses, Flowers, Shrubs, Vegetables and Small Fruits
- Around the House Foundation
- Fire Ant Mounds

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, PLANT INJURY, OR ILLEGAL RESIDUES.

NOTE: DO NOT USE INSIDE THE HOME OR IN A GREENHOUSE. DO NOT USE ON HUMANS OR ANIMALS.

ON ORNAMENTALS, VEGETABLES, AND MELONS (To Kill Foliage Pests)

HOW TO APPLY

- Apply when air is calm to avoid drift and contact with eyes and skin.
- Dust lightly to cover upper and lower leaf surfaces with a thin, even film of dust.
- For plants with dense foliage or plants above chest height, consider using a liquid insecticide such as Rockland Diazinon Spray.

ON ORNAMENTALS INCLUDING ROSES, FLOWERS, AND SHRUBS

KILLS: Aphids, Apple and Thorn Skeletonizers, Bagworms, European Pine Sawfly, European Pine Shoot Moths, Flea Beetles, Holly Bud Moths, Hemlock Woolly Adelgid (Hemlock Chermes), Leafrollers (Obliquebanded), Leafhoppers, Dipterous Leafminers (Arborvitae, Azalea, Boxwood, Holly), Mealybugs, Mites (Carnation Bud, Carnation Shoot, Clover, Cyclamen, European Red, Privet, Two-spotted Spider Mites), Oak Loopers, Obscure Root Weevils, Omnivorous Leaf-tiers, Pear Slugs, Scale Crawlers (Cottoncushion, Euonymus, Lecanium, Pine Needle, Pit, San Jose, Soft) Tent Caterpillars, Thrips, Webworms (Cotoneaster, Juniper, Mimosa), and Whiteflies.

ORNAMENTAL PLANTS

Arborvitae, Azaleas, Boxwood, Camellias, Carnations, Chrysanthemums, Euonymus, Gladioli, Hawthorn, Holly, Honeysuckle, Juniper, Lilac, Lilies, Marigolds, Pansies, Petunias, Rhododendron, Roses, Spirea, Wax Plant (Hoya), Yellowwood, and Yew. (Do not use on Ferns, Poinsettia, Hibiscus, Pilea, Gardenia, or Orchids since plant injury may occur.)

ON VEGETABLES AND MELONS

KILLS: aphids, Colorado Potato Beetles, Cucumber Beetles, Diamond-back Moths, Fall Armyworms, Flea Beetles, Grasshoppers, Imported Cabbageworms, Leafhoppers, Leafminers (Dipterous*), Mexican Bean Beetles, Onion Thrips, Southern Armyworms, Vinegar Flies (Drosophila spp.), Spider Mites, and Thrips.

***NOTE:** Diazinon and similar type insecticides will not control resistant leafminers.

6 of 8

Vegetables and Melons	Days to Wait between Applications	Applications Per Season (Maximum)	Days to Wait Between Last Application and Harvest
Beans* (Lima pole & Snap)	5	3	7
Broccoli	7	5	7
Cabbage	7	5	21
Carrots	7	5	14
Cauliflower	7	5	7
Chinese Broccoli	7	5	10
Chinese Cabbage (Bok Choy & Napa)	7	5	10
Collards	7	5	10
Corn (Sweet)	7	5	7
Cucumbers	7	5	7
Endive (Escarole)	7	5	14
Kale	7	5	10
Lettuce	7	5	14
Onions	7	3	14
Parsnips	7	5	14
Peas*	5	3	7
Peppers	7	5	5
Potatoes	7	5	35
Radishes	7	3	14
Rutabagas	7	5	14
Spinach	7	5	14
Squash Summer & winter)	7	5	14
Tomatoes	7	5	1
Turnips	7	5	14
<u>Melons: Cantaloupes</u>			
<u>Casabas, Crenshaws,</u>			
<u>Honeydews, Muskmelons,</u>			
<u>Persians & Hybrids of these</u>			
<u>and Watermelons</u>	7	5	3

NOTE: This product is registered only for use on fresh beans and peas. Do not use if you plan to grow beans and peas to eat when dried (such as dried limas, split peas, or dried black-eyed peas.

ON BERRIES AND GRAPES

KILLS: Aphids, Blueberry Maggots, Fruitworms (Cherry, Cranberry, and Raspberry Fruitworms), Grape Berry Moths, Grape Leafrollers, Leafhoppers, Strawberry Leafrollers, Thrips, and Two-spotted Spider Mites.

Berries and Grapes	Days to Wait between Applications	Applications Per Season (Maximum)	Days to Wait Between Last Application and Harvest
Blueberry	14	2	7
Grapes	7	5	28
Strawberries	7	3	5

OUTDOOR NUISANCE PESTS AROUND THE HOME

KILLS: INSECTS MITES AND TICKS: Ants, Boxelder Bugs, Chiggers, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Fire Ants*, Millipedes, Scorpions, Sowbugs (Pillbugs), Spiders, (including Black Widow Spiders), Springtails (Collembola), and Ticks (including ticks that may transmit Lyme Disease).

*Aids in Control.

HOW & WHEN TO APPLY

- Apply when air is calm to avoid drift and contact with eyes and skin.
- Dust lightly to cover soil surface with a thin, even film of dust.

FOUNDATION TREATMENT

To keep pests/insects/bugs from entering the house, treat a 2-ft. band of soil around the house next to the foundation. Use 8 oz. (0.5 lb.)/100 sq. ft. (2 ft. x 50 ft.). If necessary, apply every 3 weeks.

TICK CONTROL: To kill ticks, including those that transmit Lyme Disease, start applying in late spring or early summer (May/June). Treat shrub-beds, around ornamentals, and around outside perimeters of homes where exposure to ticks may occur. Apply every 3-4 weeks until late fall, since ticks may be reintroduced from surrounding areas by animals.

FIRE ANT MOUNDS

To help the control of fire ants in home lawns and in other home outdoor recreation areas, apply 10 oz. over and 2 ft. around each fire ant mound. Immediately after application, water in thoroughly. Apply gently to avoid disturbing ants. Use of high-pressure watering equipment may disturb the ants, cause them to leave, and reduce the product's effectiveness. A minimum of one gal. of water should be applied to each mound area. Reapply as necessary/

NOTE: For best results, apply in cool weather, 65-80°F. or in early morning or evening hours. Works within 24 hours. No waiting for days or weeks. Treat new mounds as they appear.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: **CAUTION:** Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. May cause contact sensitization following repeated contact with skin of sensitive individuals. If sensitization reactions result, contact a physician.

People and pets may enter treated area after dust has settled.

FIRST AID

If on Skin: Wash with plenty of soap and water. Get medical attention.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

Note to Physician: This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Environmental Hazards: This product is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Do not apply directly to any body of water. Do not contaminate ornamental fish ponds. This product is highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming plants if bees are visiting the treatment areas.

STORAGE AND DISPOSAL

Storage: Store in original container in a safe place.

Disposal: To avoid harming aquatic organisms in rivers and other surface waters, do not pour this product or rinse water into sanitary drains (for example, toilets, floor drains, and sinks) or into storm water sewers (for example, street drains). Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash. **NOTE:** For minor spills, leaks, etc., follow all precautions listed on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill or emergency, call Cnemtrec (1-800-424-9300), day or night.

EPA Reg. No. 572-xxx
EPA EST. No. 572-NJ-1

1198
Product #

Manufactured by
Rockland Corporation
West Caldwell, NJ 07006

UPC