

Label Copy No: LD-35121

Product: Acme Poison Ivy Killer

Size: 19 Oz. Av.

Date: 2/26/69


Package: Litho-Aerosol Can

**READ DIRECTIONS AND
CAUTIONS FIRST!**

A combination of herbicides for better control of poison ivy around new homes, established trees, fence lines and rock piles. White foam enables you to see sprayed leaves.

NOTE: Killing action is slow (about 2 weeks) to allow penetration to the roots. Dead plants can still cause skin rash. Do not burn dead plants as the smoke is toxic and can cause serious lung injury and skin irritation from the plant gum vaporizing.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



**For control around
trees and fence lines**

ACTIVE INGREDIENTS:

Dimethylamine salt of
2,4-Dichlorophenoxy
acetic acid* 0.89%

Triethylamine salt of
2,4,5-Trichlorophenoxy
acetic acid** 0.64%

Inert ingredients: 98.47%
TOTAL 100.00%

*Equivalent to 0.74% 2, 4-dichlorophenoxy acetic acid

**Equivalent to 0.40% 2, 4, 5-trichlorophenoxy acetic acid

Made in U.S.A. for
ACME INSECTICIDE DIVISION
The Sherrin-Williams Company
8250 St. Antoin Avenue
Detroit, Michigan 48211

USEA REG. NO. 1-5121 LD-35121

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for other cautions - C-156

**NET
WEIGHT 1 LB. 3 OZ.
(19 OZ. AV.)**

DIRECTIONS

Shake the can well. Remove cap and make sure nozzle points away from the face. Hold can upright and spray until all leaves are foam covered. The best time for application is spring as soon as the leaves are out. In dense stands, check in 10-12 days and respray any skips. Late summer application is not as effective. Where poison ivy is climbing, spray only the base of the vines. Do not spray around Box Elder trees or small ornamental bushes.

CAUTIONS

Avoid contact with eyes, skin and clothing. Wash hands after use. Do not use when windy as spray drift will damage zinnias, grapes, tomatoes and other susceptible plants. Do not store near seeds, fertilizer, fungicides or insecticides. Do not store near heat or open flame. Avoid drift to all desirable plants.

WARNING: Contents under pressure. Do not puncture or incinerate even when can is empty or can may explode.

ACCEPTED **Insert month and year of current printing, e.g.: 2-69