

577-394

10/08/1953

INSECTICIDE 3

FORM LS-225
(6-10-52)U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION
LIVESTOCK BRANCH

REGISTRATION NO.

577-394

1/7

DATE OF ISSUANCE

October 8, 1953

NAME OF ECONOMIC POISON

ACR 70% MALATHION SPRAY

**NOTICE OF REGISTRATION UNDER THE FEDERAL
INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT**IN ANY CORRESPONDENCE ON THIS PRODUCT ALWAYS REFER TO ABOVE
REGISTRATION NUMBER.

NAME AND ADDRESS OF REGISTRANT

Sherwin-Williams Company
~~101 Prospect Avenue~~
 Cleveland 1, Ohio

On the basis of the information furnished by the registrant, the above named economic poison is hereby registered under Section 4 of the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted for registration is returned herewith.

Claims or directions for use which differ in substance from the representations made in connection with the application or changes in the name or formula of the economic poison covered by this notice should not be made prior to their submission to the Insecticide Division, and receipt of notice that they have been accepted.

Registration of a product is in no way to be construed as an endorsement or approval by this Department of any claims made for it. The labeling must not bear any reference to registration under this Act. In order to protect the public, the Secretary, on his own motion, may at any time cancel the registration of an economic poison and, in lieu thereof, issue a registration under protest, in accordance with Section 4(c) of the Act. *In no event shall registration of an article, whether or not protested, be construed as a defense for the commission of any offense prohibited under Section 3 of the Act.* The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by a trademark held by others.

A request for registration under a new formula or labeling may be submitted at any time.


E. O. White
 Chief, Registration Section
 Insecticide Division

Enclosure.

18-179

(Panel 1)

(Carton)

ACME
50%
MALATHION
SPRAY

Net
4 Fl. Oz.

U. S.
Measure

For Flies
and
Garden Insects

Active Ingredients:

*Malathion	50%
Xylene	38%
Inert Ingredients:	12%
Total	100%

* O-O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

Panel 2

Garden Spraying - The contents of this bottle makes 16 - 24 gallons of spray for use on azaleas, roses, (other flowers), vines, shrubs, evergreens, fruits and vegetables.

Fly Control - The contents of this bottle makes 1 1/2 gallons of spray for use around garbage cans, manure piles, fences, outbuildings, bathhouses.

Consult enclosed leaflet for more complete directions.

Panel 3

Same as Panel 1.

Panel 4

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid getting in eyes, on skin or on clothing. Avoid contamination of feed or food-stuffs. Keep out of reach of children and domestic animals.

Made for

ACME QUALITY PAINTS, INC.
Detroit 11, Mich.

Submitted on 10-7-53 with application for registration under the Federal Insecticide, Fungicide and Rodenticide Act.
Registration No. 577-394
U. S. Dep't of Agriculture on 10-8-53

(Panel 1)

(Label) 3/7

ACME
50%
MALATHION
SPRAY

Net
4 Fl. Oz.

U. S.
Measure

For Flies
and
Garden Insects

Panel 2

Active Ingredients:

*Malathion	50%
Xylene	38%
Inert Ingredients:	12%
Total	<u>100%</u>

* O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION - Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid getting in eyes, on skin or on clothing. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals.

SOLD FOR INSECTICIDE PURPOSES

Panel 3

Garden Spray - for control of aphids, spider mites and certain other insects mix 1 1/2 teaspoonfuls in 1 gallon of water. Spray foliage thoroughly.

Fly Spray - to control flies and mosquitoes outside mix 5 tablespoonfuls to 1 gallon of water. Spray around garbage cans, fences, walls or wherever these insects alight.

For complete directions consult enclosed folder.

This product sold without warranty. Buyer assumes all risk in use or handling.

Made for

ACME QUALITY PAINTS, INC.
Detroit 11, Mich.

Submitted on 10-7-53 with application for
registration under the Federal Insecticide, Fungi-
cide and Rodenticide Act.
No. 577-394
U. S. Department of Agriculture on 10-8-53

(Panel 1)

(Carton)

Net
1 Fl. Oz.

ACME 50%
MALATHION
SPRAY

U. S.
Measure

For Flies
and
Garden Insects

Active Ingredients:

*Malathion	50%
Xylene	38%
Inert Ingredients:	12%
Total	<u>100%</u>

* O-O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

Panel 2

Garden Spraying - The contents of this bottle makes 4 - 6 gallons of spray for use on azaleas, roses, (other flowers), vines, shrubs, evergreens, fruits and vegetables.

Fly Control - The contents of this bottle makes 3 pints of spray for use around garbage cans, manure piles, fences, outbuildings, boathouses.

Consult enclosed leaflet for more complete directions.

Panel 3

Same as Panel 1.

Panel 4

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid getting in eyes, on skin or on clothing. Avoid contamination of feed or foodstuffs. Keep out of reach of children and domestic animals.

Made for

ACME QUALITY PAINTS, INC.
Detroit 11, Mich.

Submitted on 10-7-53 with application for registration under the Federal Insecticide, Fungicide and Rodenticide Act.
Registration No. 577-394 issued by U. S. Dep't of Agriculture on 10-8-53.

(Panel 1)

(Label)

ACME
50%
MALATHION
SPRAY

Net
1 Fl. Oz.

U. S.
Measure

For Flies
and
Garden Insects

Panel 2

Active Ingredients:

*Malathion	50%
Xylene	38%
Inert Ingredients:	12%
Total	100%

* O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION - Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid getting in eyes, on skin or on clothing. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals.

SOLD FOR INSECTICIDE PURPOSES

Panel 3

For aphids on roses, use 1½ teaspoonfuls to gallon. For flies, contents of bottle makes 3 pints of spray.

For complete directions see enclosed leaflet.

This product sold without warranty. Buyer assumes all risk in use or handling.

Made for

ACME QUALITY PAINTS, INC.
Detroit 11, Mich.

Submitted on 10-7-53 with application for registration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration No. 577-394 issued by U. S. Dep't of Agriculture on 11-8-53

ACME
50% MALATHION SPRAY

617

A new, phosphate type insecticide giving excellent control of many common insects. It is considered to be one of the safer products to use. Necessary precautions found on every label.

For Fly Control around lawns, homes, and outbuildings, spray thoroughly (to run-off point), garbage cans, manure piles, fences, walls, ceilings or any place where flies alight.

Caution: Remove animals or poultry before treating buildings. Do not use where milk is stored or processed. Do not use in dwellings.

Pest	Amount of Spray Desired	Amount of Material Required	* Add Sugar
Flies	1 Quart of Water	1-1/3 Tablespoonfuls	2 Tablespoonfuls
Mosquitoes	1 Gallon of Water	5 Tablespoonfuls	1/2 Cupful
	3 Gallons of Water	1/2 Pint	1 1/2 Cupfuls

* Shake or stir until sugar completely dissolved.

For Garden Insect Control - Spray thoroughly both upper and lower plant surfaces, wetting insect to be controlled. Spray when insects are first noticed and repeat weekly as long as they persist. On waxy foliage, add 1/2 teaspoonful of a household detergent for each gallon of spray. Do not use on food crops 14 days before harvest.

Avoid use on certain ferns, including Boston, Maidenhair and Pteris, as well as to some species of Crassula.

Crop	Insect	Dilution Per Gal. of Water
Flowers & Shrubs		
Asters	Aphids ✓	1 1/2 teaspoonfuls
Azaleas	Spider Mites ✓	
Camellias	White Fly ✓	
Dahlias	Mealy Bugs ✓	
Gladiolus	Thrips ✓	
Roses	Tarnish Plant Bugs ✓	
Spirea	Rose Leafhopper ✓	
Snowball	Japanese Beetle	
Greenhouse Plants		
	Spider Mites	
Evergreens	Monterey Pine Scale	2 1/2 teaspoonfuls
	Juniper Scale	
	Soft Brown Scale	
Fruits		
Apples	Aphids	1 1/2 teaspoonfuls
Grapes	Spider Mites	
Pears	Pear Psyllid	
	Forbes Scale	
Vegetables		
Beans		1 1/2 teaspoonfuls
Broccoli		
Cabbage	Spider Mites	
Kale	Mexican Bean Beetles	
Peas	Imp. Cabbage Worm	
Potatoes	Cabbage Looper	
Tomatoes	Aphids	

Submitted on 10-7-53 with application for registration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration No. 577-394 issued by U. S. Dep't of Agriculture on 10-8-53

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin.
Avoid breathing spray mist. Avoid getting in eyes, on skin.
Avoid contamination of feed or foodstuffs. Keep out of reach
of children and domestic animals.

NOTICE - Neither the manufacturer nor the seller makes any
representation of warranty, express or implied and shall not be
held responsible in any manner for any personal injury, property
damage, or other type of loss resulting from the handling,
storage or use of this product, whether or not used in accordance
with directions.

ACME QUALITY PAINTS, INC.
Detroit 11, Michigan

Made In U. S. A.

Submitted on 10-7-53 with application for
registration under the Federal Insecticide, Fungl-
icide and Rodenticide Act.
Registration No. 577-394 issued by
U. S. Dep't of Agriculture on 10-8-53.