

FULL NAME OF PRODUCT:	ACME 50% MALATHION SPRAY	DATE	AUGUST 7, 1963
			577-394

REGISTRANT:	ACME QUALITY PAINTS, INC
NAME APPEARING ON LABEL:	ACME QUALITY PAINTS, INC
	DETROIT 11, MICHIGAN

This Bottle Makes 512 to 768 Gallons for Garden Insect Control or 48 Gallons as Fly Spray.

CAUTION—Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid repeated or prolonged contact with skin, wash thoroughly. Avoid contamination of feed or foodstuffs. Keep out of reach of children.

Keep away from heat or open flame. Non-flammable when diluted with water according to directions.

CAUTION: Remove animals or poultry before treating buildings. Do not use where milk is stored or processed. Do not use in dwellings.

NOTICE: Neither the manufacturer nor the seller makes any representation or warranty, express or implied and shall not be held responsible in any manner for any personal injury, property damage, or other type of loss resulting from the handling, storage or use of this product, whether or not used in accordance with directions.


Made for
ACME QUALITY PAINTS, INC.
Insecticide Division
Detroit 11, Michigan

Write for Malathion Bulletin PE 5046
SOLD FOR INSECTICIDE PURPOSES

Made in U.S.A.
LD230-X4 5-63

ONE GALLON

U. S. MEASURE



For Flies and Garden Insects

Active Ingredients:

*Malathion 50%

Aromatic Petroleum Distillate . . . 42%

Inert Ingredients.....	8%
------------------------	----

100%

*O, O-Dimethyl Dithiophosphate
of diethyl mercaptosuccinate

DIRECTIONS FOR USE

For Fly Control around lawns, homes, and outbuildings (including dairy barns), spray thoroughly (to run-off point), garbage cans, manure piles, fences, walls, ceilings or any place where flies alight.

Pest	Amount of Spray Desired	Amount of Material Required	Add Sugar
Flies	1 Quart of Water	1½ Tablespoonfuls	2 Tablespoonfuls
Mosquitoes	1 Gallon of Water	5½ Tablespoonfuls	½ Cupful
	3 Gallons of Water	10 Ounces	1½ Cupfuls

For Garden Insect Control—Spray thoroughly both upper and lower plant surfaces, wetting insect to be controlled. Spray when insects are first noticed and repeat weekly as long as they persist. On waxy foliage, add ½ teaspoonful of a household detergent for each gallon of spray. Do not use on food crops 7 days before harvest.

CAUTION: Do not use within 30 days of harvest on McIntosh and Cortland varieties of apples to avoid possible injury. Use with caution on Ribier grapes, and in Northeast on Bosc pears. Injury may result.

Avoid use on certain ferns, including Boston, Maidenhair and Pteris, as well as to some species of Crassula.

Crop	Insect	Dilution per Gallon of Water
FLOWERS & SHRUBS		
Asters Roses	Aphids, Thrips Tarnish Plant Bugs	
Azaleas, Camellias Spirea, Snowball	Spider Mites Rose Leafhopper	2 Teaspoonfuls
Dahlias Greenhouse Plants	White Fly Japanese Beetle	
Gladiolas	Mealy Bugs	
	Black Scale Crawlers	2½ Teaspoonfuls
	Spider Mites	
	Oyster Shell Scale	2 Teaspoonfuls
EVERGREENS		
	Monterey Pine Scale Fletcher Scale	
	Juniper Scale Oak Kermes	2½ Teaspoonfuls
	Soft Brown Scale	
FRUITS		
Apples Plums	Aphids, Spider Mites	
Grapes Prunes	Pear Psyllid	
Pears Cherries	Mealy Bugs	2 Teaspoonfuls
	Forbes Scale	
VEGETABLES		
Beans Potatoes Eggplant	Aphids	
Broccoli Tomatoes Turnip	Spider Mites	
Cabbage Cucumbers Beets	Mexican Bean Beetles	
Kale Squash Onions	Imp. Cabbage Worm	2 Teaspoonfuls
Peas Peppers	Cabbage Looper	
	Potato Leafhopper	

ACCEPTED
Sept 5 1963
**UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
EPA REG NO. _____ SUBJECT
CHLOROBIPHENYL SULFONATE**

577-394

09/05/1963