

Reg # 577-542

PM-23

1975

04 JUN 1992

Ms. Madelyn K. Harding
The Sherwin-Williams Company
Caprinol Group
101 Prospect Avenue
Cleveland, OH 44115

Dear Ms. Harding:

Subject: Caprinol® Stain & Wood Preservative
EPA Registration No. 577-542
Application Dated June 1, 1992 with Proposed
Labeling, Resubmission of Labeling on June 2, 1992
and June 3, 1992

The proposed labeling submitted June 3, 1992 has been reviewed and found to be acceptable under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, section 3(c)(5) provided that you:

1. Submit/cite all data required for registration of this product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) printed copies of the final printed labeling before releasing the product for shipment. The final printed labeling must be in compliance with the Labeling requirements described in the Folpet Standard issued June, 1987 (starting on page iii of that document).

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(a). Your release of the product for shipment constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne L. Miller
Product Manager (23)
Fungicide/Rodenticide Branch
Registration Division (47-7000)

ENCLOSURE

WATSON:Diskette WACCI: 06-04-92

BEST AVAILABLE COPY

295

page 1

FRONT PANEL

CUPRINOL® STAIN & WOOD PRESERVATIVE

Protects against mildew and rot

WARNING
KEEP OUT OF REACH OF CHILDREN
COMBUSTIBLE
HARMFUL OR FATAL IF SWALLOWED
 See back panel for additional precautionary statements

ACTIVE INGREDIENTS:

Bis(tri-n-butyltin) oxide	0.30%
Folpet [N-(trichloromethylthio)phthalimide]	0.44%

INERT INGREDIENTS	99.26%
--------------------------------	---------------

TOTAL	100.00%
--------------------	----------------

Contains petroleum distillates

EPA Reg. No. 577-542

EPA Est. No. 577-MD-1


1 GALLON (3.785 Liter)

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:

04 JUN 1992

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, this product is
 registered under EPA Reg. No.

577-542



BEST AVAILABLE COPY

3 9/5

page 2

BACK PANEL

Resists Rot

Resists Mildew *

Resists Mildew Discoloration*

- o Effective preservatives protect against rot and decay.
- o * Advanced fungistats fight ugly mildew discoloration.

* This product will resist mildew attack after application; however, it will not kill mildew present prior to staining. Remove mildew stain by scrubbing all infected surfaces with a solution of 1 Qt. household bleach, 3 Qt. warm water. Let stand 30 minutes, then rinse with clear water. Apply product only after area is completely dry.


LIMITED WARRANTY

CUPRINOL® GROUP will replace this product if it is shown to be defective within one year of the date of purchase. Claims must be sent within the warranty period, together with proof of purchase to:

CUPRINOL® GROUP, 101 Prospect Ave., Cleveland OH 44115

This warranty does not apply if the product is not used as directed. THE DURATION OF ANY IMPLIED WARRANTIES IS LIMITED TO THE DURATION OF THIS LIMITED WARRANTY. CUPRINOL® GROUP'S LIABILITY UNDER ANY WARRANTY, WHETHER EXPRESSED OR IMPLIED, IS LIMITED SOLELY TO REPLACEMENT OF THE PRODUCT AND DOES NOT INCLUDE LABOR OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow limitations on how long an implied warranty lasts or exclusions or limitations of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may have other rights which vary from state to state.

BEST AVAILABLE COPY



495

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product must be applied out-of-doors to wood intended for exterior use. **THOROUGHLY MIX CONTENTS OF CAN BEFORE USE.** Stir occasionally during use to keep color uniform.

For decks and outside furniture, use CUPRINOL® DECK STAIN & PRESERVATIVE. For wood siding, shakes, trim and fences, use CUPRINOL® SEMI-TRANSPARENT OR SOLID COLOR STAIN & WOOD PRESERVATIVE.

[CUPRINOL® HEAVY DUTY DECK STAIN & PRESERVATIVE:] Use on dry, clean, unpainted wood, pressure-treated lumber, or on previously oil base semi-transparent stained surfaces free of all mildew. After construction, let decks weather at least 4-6 weeks for untreated wood, 8-12 weeks for pressure-treated wood before first stain coat. The colors will vary on different woods.

[CUPRINOL® SOLID COLOR STAIN & WOOD PRESERVATIVE:] Use on dry, clean, unprimed wood or on previously oil base stained wood, free of all mildew. Lighter colors will vary on different woods. Recoating over other colors may affect finish color.

[CUPRINOL® SEMI-TRANSPARENT STAIN & WOOD PRESERVATIVE:] Use on dry, clean, unprimed wood or on surfaces previously stained with oil-based, semi-transparent stains, free of all mildew. The colors will vary on different woods.

COVERAGE with Cuprinol® stains ranges from 150 sq. ft. per gallon for rough sawn materials up to 300 sq. ft. per gallon for smooth materials.

BEST AVAILABLE COPY

Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse. Wash thoroughly with soap and water after handling. Apply by brush, roller or spray. Back brush after roller or spray. The more preservative absorbed by the wood the better. **DO NOT OVERAPPLY.** Over-applying may cause prolonged drying times and uneven appearance. When adequately absorbed by the wood, the stain dries to a flat finish. Recoating over other colors may affect finish color. **A SAMPLE BRUSHOUT IS RECOMMENDED.** Do not use on hardboards or over creosote. Thoroughly cover cut ends and joints. For best results, apply in the shade at 40°-90°F. Do not thin. To avoid lapmarks maintain a wet edge. Clean equipment with mineral spirits or turpentine. Dries rapidly to the touch. Thorough curing requires 24 hours. If desired, a second coat may be applied after the first coat is thoroughly dry.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING! Causes substantial but temporary eye injury. May cause an allergic skin reaction. **HARMFUL IF SWALLOWED OR INHALED.** Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

HANDLING: USE OUT-OF-DOORS ONLY. Wear rubber gloves, goggles and protective clothing when applying or handling freshly treated lumber. If you experience eye watering, headache, or dizziness, leave the area or wear respiratory protection (NIOSH/MSHA TC-23C or equivalent).

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

**DO NOT TAKE INTERNALLY
KEEP OUT OF REACH OF CHILDREN**

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water when disposing of equipment wash water.

PHYSICAL/CHEMICAL HAZARDS: COMBUSTIBLE! Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Call a physician.

IF SWALLOWED: Promptly drink a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Do not drink alcohol. Contact your local Poison Control Center.

IF ON SKIN: Immediately remove contaminated clothing and wash skin with plenty of soap and water. Get medical attention. Wash clothing separately before reuse.

IF INHALED: Remove to fresh air and get medical attention.

STORAGE and DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE: Do not store near heat or open flame. Do not reuse empty container or transfer contents to unmarked containers. Close the container tightly after each use. Soak up spill or leaks with sand, dirt, or synthetic absorbent. Dispose of all wastes from this product accordingly.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For consumer information, call the CUPRINOL® Customer Service line, 1-800-424-5837.

CUPRINOL® GROUP
101 Prospect Ave.
Cleveland, OH 44115

©1992 Cuprinol® Group

BEST AVAILABLE COPY