


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 154957
	Application for Pesticide:		
	Section I		

1. Company/Product Number 577-543	2. EPA Product Manager Cynthia Giles-Parker	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Cuprinol ^(R) Clear Wood Preservative	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) The Cuprinol ^(R) Group The Sherwin-Williams Company 101 Prospect Ave., N.W. Cleveland, OH 44115-1075 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II	
<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

This application is Notification for changes to the label required by and consistent with PR95-1.

Section III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other (_____)	

Section IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Madelyn K. Harding	Title Administrator, Product Compliance & Registrations	Telephone No. (Include Area Code) (216) 566-2630

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Madelyn K. Harding</i>	3. Title Administrator, Product Compliance & Registrations	
4. Typed Name Madelyn K. Harding	5. Date 9-28-95	

Preservative



CLEAR WOOD PRESERVATIVE


Penetrates to protect against mildew and rot.

ABOVE GROUND USE

by the **CUPRINOL** Group

Oil Base
WE PROMISE THE BEST
Water Cleanup

CONTRACTOR SERIES™



Seals water out.
Lets wood gray and weather naturally.

ACTIVE INGREDIENT:
3-Iodo-2-Propynyl
Butyl Carbamate 0.50%
INERT INGREDIENTS: 99.50%
TOTAL 100.00%

EPA Reg. No. 577-543, EPA Est. No. 577-GA-1,
577-IL-1, 577-TX-1, 577-KY-1, 577-KS-1,
577-NC-1, 577-OH-1, 577-MD-1

577-NJ-01, 577-IL-02, 577-FL-01,
577-CA-01, 577-CA-03.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panels for additional Precautionary Statements

5 Gallons
18.92 Liters

The Cuprinol Promise

We promise that Cuprinol products will save you time and help protect and beautify wood. We also promise that Cuprinol products will perform to your satisfaction or we'll refund your money. If you have any questions about Cuprinol products, where, how and when to use them, please call us at

1-800-424-5837

393

Seals, penetrates and preserves against rot.

- Dries clear - appears milky in the can.
- Penetrating oil-based formula is specially engineered with an effective wood preservative to provide protection against decay and rot, as well as mildew.
- Use on bare wood above ground - wood siding, decks, roof shingles, outdoor furniture, fences.
- Now with more powerful water repellents to keep water out and protect against cracking and splitting; exceeds Federal Specification TT-W-572b for water repellency.
- With special ingredients to make water bead up and roll off wood.
- May be applied immediately to new wood.
- New advanced formula has lower odor, is nonflammable and safer to use.
- Lets wood gray and weather naturally.
- Easy to use: apply by spray, brush or dip; now conveniently cleans up with soap and water.
- Recommended as a primer before paint to minimize blistering and peeling due to water absorption, and to provide decay resistance.

Formulated to meet the strictest Volatile Organic Compound (VOC) air pollution regulations in the United States. VOC's contained in this product are below 350 grams/liter or 2.9 pounds/gallon.

For preservation below ground and for wood in contact with water, use Cuprinol® No. 10 Green Wood Preservative.

Use Cuprinol REVIVE® Easy Deck Cleaner to remove dirt and stains caused by mildew and algae - leaving a fresh, natural look.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREPARATION: THIS PRODUCT MUST BE APPLIED OUT-OF-DOORS TO WOOD INTENDED FOR EXTERIOR USE. NOT FOR INTERIOR USE. This product can be used for all suitable above ground applications. (Use Cuprinol® No. 10 Green Wood Preservative where any portion of the wood will be below ground.) Use on cedar, redwood, pressure-treated and most other woods. Do not apply over hardboard or particle board. Do not use on wood that will be in contact with food, feed or potable water, or where prolonged skin contact is expected. Wood may be damp but not wet and must be free of bark, mildew and any finish. May be applied immediately to new wood. Before and during use, thoroughly mix contents of can. **DO NOT MIX WITH ANY OTHER PRODUCTS. DO NOT THIN.** Product appears milky in the can but dries clear.

This preservative should not be applied to a mildewed surface. Test for mildew by applying a 50/50 solution of bleach and water. Mildew is present if the area lightens. Spray all mildew-infected surfaces with a solution of 1 qt. household bleach and 3 qts. warm water. Let stand for 30 minutes, then rinse with clean water.

Redwood and cedar contain natural extractives. To minimize extractive discoloration, apply a solution of 1 part oxalic acid and 9 parts water. Let it sit for half an hour. Then rinse with clean water.

APPLICATION: Apply by synthetic brush, spray or dip. For best results, apply when surface temperatures are between 50° and 90° which will not fall below 40° during 24 hours after application. Thoroughly cover cut ends with two coats. The more preservative absorbed by the wood, the longer and more effective the protection. If the first coat is quickly absorbed, apply a second coat at any time after the initial application has dried to the touch. **DO NOT** apply more than two coats. Treat to saturation, but be sure to pick up puddles with a brush. On initial treatment of new wood siding, two coats are recommended. When dipping, allow to soak for 3 minutes.

Use only one thin coat if used as a primer before painting. Wait at least 24 to 36 hours after application before painting with a good quality oil-based paint or primer. During humid conditions a longer drying time may be necessary. Wait 6 to 12 months before applying latex paints or clear finishes.

We recommend that wood be re-treated within 3 years. Roofs should be re-treated within 2 years. Areas subject to direct water contact or severe exposure may require an earlier reapplication.

COVERAGE: Ranges from 150-300 sq. ft. per gallon depending on wood porosity, surface texture, and dryness of wood. Cuprinol® Clear Wood Preservative dries to the touch in 5 hours but thorough drying requires 24 hours.

CLEANUP: Clean brushes and tools immediately after use with soap and water. If cleanup is delayed, use mineral spirits or paint thinner.

© 1994 Cuprinol Group

392

New Look
Wood Finish

Deck Stain

Revive
Deck Cleaner

Deck Clear Seal



USE ON BARE WOOD ABOVE GROUND
Wood siding, wood roof shingles, outdoor furniture.

STORAGE & DISPOSAL

STORAGE: Close container tightly and store upright to prevent leakage. Do not store near excessive heat, sparks or flames. Avoid storage near feed or food products. **KEEP FROM FREEZING.** Soak up spills or leaks with sand, dirt or synthetic absorbent.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not re-use original container. Triple rinse (or equivalent) then offer for recycling or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid breathing spray mist or contact with eyes, skin or clothing. Use out-of-doors only. Wear goggles, rubber gloves and protective clothing when applying or handling freshly treated lumber. Wash thoroughly with soap and water after handling and before smoking or eating.

FIRST AID: If swallowed: Immediately drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. If in eyes: Flush eyes with plenty of water. Get medical attention. If on skin: Wash skin thoroughly with soap and water. Get medical attention if irritation persists. If inhaled: Remove victim to fresh air. Resuscitate if necessary. Get medical attention.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment wash waters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Cuprinol Group will replace of purchase. Claims must be to: Cuprinol Group, 101 Prospect Avenue, Cleveland, Ohio 44115. This warranty does not apply. IMPLIED WARRANTIES IS CUPRINOL GROUP'S LIABILITY IS LIMITED SOLELY TO REPAIR OR OTHER INCIDENTAL DAMAGES, so the above limitation on how long an implied warranty damages, so the above limitation on how long an implied warranty specific legal rights, and you

SATISFACTION

When used according to label instructions, Cuprinol will furnish an equivalent refund the purchase price upon return of product. Refund will include labor or cost of labor for removal and reapplication.

For consumer information, call 1-800-424-5837.

1-800-424-5837

Cuprinol Group
101 Prospect Avenue
Cleveland, Ohio 44115

Cuprinol Group
a division of
The Sherwin-Williams Company
Cleveland, Ohio

FOR CUPRINOL® CUSTOMER SERVICE, CALL 1-800-424-5837.