

577-556

11/4/2011

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

The Sherwin-Williams Company
101 West Prospect Avenue
Cleveland, OH 44115-1075

NOV 4 2011

Attention Madelyn K Harding
Subject Notification
Seaguard Premium Grade Soft Copper #1
EPA Reg No 577-556
Amendment Letter dated October 5, 2011

This will acknowledge receipt of your notification for the aforementioned product labels, submitted under the provisions of FIFRA Section 3(c) (9) Based on a review of the submitted material, the following apply

- Addition of an Establishment Numbers to the label

The Notification is in compliance with PR Notice 98-10 and is acceptable This information has been made a part of your file

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062

Sincerely,

A handwritten signature in cursive script that reads "M Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)

Section I

1 Company/Product Number 577- 556	2 EPA Product Manager M Swindell	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Seaguard Premium Grade Soft Copper #1	PM# 33	
5 Name and Address of Applicant (Include ZIP Code) THE SHERWIN WILLIAMS COMPANY 101 WEST PROSPECT AVENUE CLEVELAND, OH 44115 1075	6 Expedited Review In accordance with FIFRA Section 3©(3)(b)(I) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____	
<input type="checkbox"/> Check if this is a new address		

Section II

Amendment – Explain below Final printed labels in response to Agency letter
 Dated _____
 Resubmission in response to Agency letter dated _____ Me Too Application
 Notification – Explain below Other – explain below

Explanation Use additional page(s) if necessary (For section I and Section II)

Add two establishments to label EPA Est No 577-KS-02 and 577 CA-03

Section III

1 Material This Product Will Be Packaged In

Child Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2 Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
Certification must be submitted		If Yes, No per Unit Package wt Container	If Yes,* No per Package wgt Container

3 Location of Net Contents Information Label Container

4 Size(s) of Retail Container

5 Location of Label Directions On Label On Labeling accompanying product

6 Manner in Which Label Is Affixed To Product Lithograph Paper glued Stenciled Other (_____)


Section IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)

Name Madelyn K Harding	Title Senior Manager Regulatory Affairs	Telephone No (Include Area Code) (216) 566-2630
----------------------------------	---	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true accurate and complete
 I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment of both under applicable law

2 Signature 	3 Title Senior Manager Regulatory Affairs	6 Date Application Received (Stamped)
4 Typed Name Madelyn K Harding	4 Date October 5, 2011	



SHERWIN-WILLIAMS®

3/6

Environmental Occupational Health & Regulatory Services
101 Prospect Avenue NW
Cleveland Ohio 44115 1075
Facsimile (216) 566 2730

BY FEDERAL EXPRESS

October 5 2011

Mr Marshall Swindell (PM 33)
U S Environmental Protection Agency
Document Processing Desk (NOTIFY)
Office of Pesticide Programs (7504P)
Room S4900, One Potomac Yard
2777 Crystal Drive
Arlington, Virginia 22202

RE EPA Registration Numbers 577-556

Dear Mr Swindell

This letter with the attached Application serves as notification to the label of EPA Registration Number 577-556 This revision adds two EPA Establishments to the label EPA Est No 577 KS 02 and 577 CA 03

This submission includes five copies of the proposed label

Thank you for your prompt attention to this matter If you have any questions regarding this submission please do not hesitate to contact me at 216-566-2630

Sincerely,

Madelyn K Harding, Senior Corporate Manager
Regulatory Affairs

Attachment Application for EPA Reg No 577 556
Five Copies of Proposed Label

F/6

PREMIUM GRADE SOFT COPPER NO 1

N50 R101

ACTIVE INGREDIENT	
CUPROUS OXIDE	23 00%
INERT INGREDIENTS	77 00%
TOTAL	100 %

This product contains petroleum distillates

Equivalent to 20% metallic copper

KEEP OUT OF REACH OF CHILDREN

Warning!

Combustible! Vapor Harmful Irritates Eyes, Skin and Respiratory Tract
See Side Panel for Additional Precautionary Statements

EPA Registration No 577-556

EPA Est No

- 577-VA-01
- 577-GA-01
- 577-KY-01
- 577-KS-02
- 577-CA-03

50 Gallons Net Contents

SEAGUARD#1 PREMIUM GRADE ANTI-FOULING
"SOFT" COPPER FREE ERODING FORMULATION

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Recommended Seaguard Premium Grade Anti-fouling, Soft Copper is to be used on wood surfaces Seaguard Premium Grade Anti-fouling is a soft copper formulation that allows the coating to dissolve freely, thus preventing any residual film build-up The anti-fouling properties are uniquely tailored for the east coast of the United States

Surface Preparation For wood surfaces-clean surface thoroughly with water and scrub with stiff bristle brush Any fouling residue should be removed with a wire brush before applying Seaguard Premium Grade Anti-fouling

Application Seaguard Premium Grade Anti-fouling is formulated to be applied by spray, brush, or roller If applied by spray, an agitator equipped spray pot should be used, with the agitator running just fast enough to keep the anti-fouling pigments in uniform suspension Thinning is not usually necessary, but Seaguard No 800 Thinner [Sherwin-Williams R2K4 150 Flash Naphtha] may be used For optimum anti-fouling performance, 2 coats of Premium Grade Anti-fouling should be applied at 2.0 mil Dry Film Thickness each Vessel launching should be made within 7 days of anti-fouling application

Allow to dry 4-6 hours between coats

For professional use only

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

PESTICIDE DISPOSAL Pesticide that can not be used according to label instructions must be disposed of according to federal state or local procedures under the Resources Conservation and Recovery Act

CONTAINER DISPOSAL

Nonrefillable container Do not reuse or refill this container Offer for recycling if available or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities

DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE

Contains solvents which can cause permanent brain and nervous system damage Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

6/6

FIRST AID

IF SWALLOWED Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a *poison control center or doctor*.

IF ON SKIN OR CLOTHING Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

Note to Physician

Contains petroleum distillate - vomiting may cause aspiration pneumonia

NOTICE This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

PRECAUTIONARY STATEMENTS

WARNING HAZARDS TO HUMAN AND DOMESTIC ANIMALS

HAZARDS TO HUMANS Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe dust, vapor or spray mist. Wash contaminated clothing before reuse. Never give anything by mouth to an unconscious person. Call a physician immediately. Avoid storage and usage near food and feed products. When used in confined areas or while spraying and/or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR 11.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not contaminate waters by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE FLASH POINT APPROXIMATELY 80 °F. Keep away from heat and open flame. Pesticide container or rinse solution that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Title C of the Resource Conservation and Recovery Act.

Manufactured by
The Sherwin-Williams Co
Portsmouth, Virginia 23704