



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

October 6, 2026

Manuela Petrisor

The Sherwin-Williams Co.

Electronic Transmittal: manuela.petrisor@sagentiaregulatory.com

Subject: Label Amendment – Changes Required by the Copper Compounds Amended
Interim Registration Review Decision
Registration Review Interim Decision Label Mitigation
Product Name: Seaguard Premium Grade Soft Copper No.1
EPA Registration Number: 577-556
Received Date: 4/22/2026
Action Code Case Number: 00694447

Dear Manuela Petrisor:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Copper Compounds Amended Interim Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling.

"To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Megan Snyderman by phone at 202-566-0639, or via email at snyderman.megan@epa.gov.

Sincerely,




Eric Miederhoff
Chief, Reevaluation Branch
Antimicrobials Division
EPA Office of Pesticide Programs

Enclosure: Stamped Label

PREMIUM GRADE SOFT COPPER NO 1

N50 R101

ACTIVE INGREDIENT	
CUPROUS OXIDE.....	23.00%
INERT INGREDIENTS.....	77.00%
TOTAL.....	100.00 %



This product contains petroleum distillates

Equivalent to 20% metallic copper

KEEP OUT OF REACH OF CHILDREN

WARNING

Combustible. Vapor Harmful. Irritates Eyes, Skin and Respiratory Tract.
See Side Panel for Additional Precautionary Statements

EPA Registration No 577-556

EPA Est No

577-VA-01

577-GA-01

577-KY-01

577-KS-02

577-CA-03

50 Gallons Net Contents

SEAGUARD#1 PREMIUM GRADE ANTI-FOULING "SOFT" COPPER FREE ERODING FORMULATION

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Maximum number of coats – 2 coats.

Area treated per gallon on paint up to 353sq. ft. @ 4.5 mil WFT.

Lifetime of paint before reapplication – 18-24 months.

Recommended: Seaguard Premium Grade Anti-fouling, Soft Copper is to be used on wood surfaces. Seaguard Premium Grade Anti-fouling is a soft copper formulation that allows the coating to dissolve freely, thus preventing any residual film build-up. The anti-fouling properties are uniquely tailored for the east coast of the United States.

Surface Preparation: For wood surfaces, clean surface thoroughly with water and scrub with stiff bristle brush. Any fouling residue should be removed with a wire brush before applying Seaguard Premium Grade Anti-fouling.

Application: Seaguard Premium Grade Anti-fouling is formulated to be applied by spray, brush, or roller. If applied by spray, an agitator equipped spray pot should be used, with the agitator running just fast enough to keep the anti-fouling pigments in uniform suspension. Thinning is not usually necessary, but Seaguard No 800 Thinner [Sherwin-Williams R2K4 150 Flash Naphtha] may be used. For optimum anti-fouling performance, 2 coats of Premium Grade Anti-fouling should be applied at 20 mil Dry Film Thickness each. Vessel launching should be made within 7 days of anti-fouling application.

Allow to dry 4-6 hours between coats. For professional use only.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide that can not be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE.

Contains solvents which can cause permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

Note to Physician

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

NOTICE: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

PRECAUTIONARY STATEMENTS

WARNING. HAZARDS TO HUMAN AND DOMESTIC ANIMALS

HAZARDS TO HUMANS Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves long-sleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe dust vapor or spray mist. Wash contaminated clothing before reuse. Never give anything by mouth to an unconscious person. Call a physician immediately. Avoid storage and usage near food and feed products. When used in confined areas or while spraying and/or sanding boat surface wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR 11.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not contaminate waters by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes streams, ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE FLASH POINT APPROXIMATELY 80 °F. Keep away from heat and open flame.

Pesticide container or rinse solution that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

Manufactured by
The Sherwin-Williams Company
Cleveland, Ohio 44115