AUG 28 2008

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



# EPA United States Environmental Protection Office of Pesticide Programs

The Sherwin-Williams Company Environmental, Health and Regulatory Services 101 Prospect Avenue, N. W. Cleveland, OH 44115-1075

Attention: Madelyn K. Harding, Corporate Manager

Regulatory Affairs

Subject: HMF Antifouling Paint

EPA Registration No. 577-570 Notification Dated July 30, 2008

This will acknowledge receipt of your notification to revise the label to comply with PR Notice 2007-4, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification dated July 30, 2008 is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell Product Manager (33)

Regulatory Management Branch 1

Antimorobials Division (7510P)

					20 DP Identifier Number
(A) United States Environment Office of Pesticide Pr	Protection Age ams (H7505C)	The same of the sa	Registration mendment	O	OP Identifier Number
<b>EPA</b> Washington, Do	C 20460	XX	Notification		155125
Application for					
		Section I			
<ol> <li>Company/Product Number 577- 570</li> </ol>			2. EPA Product Manager M. Swindell		3. Proposed Classification
4. Company/Product (Name) HMF Antifouling Paint			PM# <b>33</b>		X None
5. Name and Address of Applicant (Include ZIF THE SHERWIN-WILLIAMS COMPAN 101 WEST PROSPECT AVENUE CLEVELAND, OH 44115-1075	6. Expedited Review. In accordance with FIFRA Section 3©(3)(b)(I), product is similar or identical in composition and labeling to:  EPA Reg. No.				
☐ Check if this is a new address		Section II	Product Name		
Amendment – Explain below		Section II	Final printed labels in	response to A	gency letter
Resubmission in response to Ager	ncy letter	dat			Some y tottor
<b>XX</b> Notification – Explain below.			Other – explain	below.	
Explanation: Use additional page(s)	f necessary. (For	section I and Se	ction II.)		
made to the labeling or the Confidentia 1001 to willfully make any false statem requirements of 40 CFR §§ 156.10, 15 subject to enforcement action and pen	nent to EPA. I furth 66.140, 156.144, 1	her understand th 156.146, and 156 ons 12 and 14 of	hat if the amended lat 5.156, this product ma f FIFRA."	oel is not consis	tent with the
		Section II	I		
1. Material This Product Will Be Pa			W C 1 11 D 1		
Child Resistant Packaging  ☐ Yes*	Unit Packaging  ☐ Yes		Water Soluble Pack  ☐ Yes		Type of Container  Metal
□ Yes* □ No	□ No		□ No		lastic
110		N.T.		\pi G	lass
*Certification must be submitted.	If Yes,* Unit Package w	No. per t. Container	If Yes,* No. Package wgt. Con	tainer   P	aper Other (Specify)
3. Location of Net Contents Information	on	4. Size(s) of R	Letail Container	A	
☐ Label ☐ Container			☐On Labeling accompanying product		
6. Manner in Which Label Is Affixed	□ <b>P</b>	Lithograph aper glued tenciled	□Other (		
		Section IV	7		
1. Contact Point (Complete items directly below for identification)	on of individual to be contact		this application.)	Tolomber N	(Include Area Co. 1-)
Name Madelyn K. Harding		Title Corporate N Regulatory			
Certification I certify that the statements I have made on I acknowledge that any knowingly false on		attachments thereto ent may be punish	o are true, accurate and		der applicable law.
2. Signature  Madelysek Ha	ind	3. Title Corporate Ma Regulatory A		c c c c c c c c c c c c c c c c c c c	te Application Received (Stamped)
4. Typed Name  Madelyn K. Harding		5. Date July 30, 2008		ceice	



# SHERWIN-WILLIAMS.

Environmental, Occupational Health & Regulatory Services 101 Prospect Avenue NW Cleveland, Ohio 44115-1075 Facsimile: (216) 566-2730

BY FEDERAL EXPRESS

July 31, 2008

Mr. Marshall Swindell (PM 33)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

RE: EPA Registration Number 577-570, HMF Antifouling Paint, OPP Identifier No.

# QUALIFIES FOR FAST TRACK REVIEW

Dear Mr. Swindell,

This letter and the attached Application (OPP Identifier Number 155125 are a notification to revise the label to comply with PR Notice 2007-4. We certify that

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

One copy of the proposed label shows the changes, with new language underlined and with deleted language shown as crossed out. In addition, five "clean" copies of the proposed label are enclosed.

If you have any questions regarding this submission, please do not hesitate to contact me at 216-566-2630, or by e-mail at <a href="mailto:mkharding@sherwin.com">mkharding@sherwin.com</a> or by facsimile at 216-263-8612. Thank you for your prompt attention to this matter.

Sincerely,

Madelyn K. Harding, Corporate Manager

Regulatory Affairs

Attachments

# HMF ANTI-FOULING PAINT

**Product Color (optional)** 

For protecting underwater ship hulls from marine growth

Product Number (optional)

#### **ACTIVE INGREDIENT**

Zinc Pyrithione	6.38%
1H-Pyrrole-3-carbonitrile,4-bromo-2-(4-chlorophenyl)-5-(trifluoromethyl)	7.28%
INERT INGREDIENTS	86.34%
TOTAL	100.00%

## **CONTAINS PETROLEUM DISTILLATES**

5 U.S. Gal 18.92 L

EPA Reg. No.

577-570

EPA Est. No. 577-VA-01 577-CA-03 577-GA-01

KEEP OUT OF REACH OF CHILDREN.
LIMITATION FOR USE BY COMMERCIAL OR GOVERNMENT SHIPYARDS
WARNING
COMBUSTIBLE! VAPOR HARMFUL. IRRITATES EYES, SKIN AND
RESPIRATORY TRACT.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Back or Side of Label

SeaGuard HMF Antifoulant is a solvent-based copper and tin free antifoulant coating, containing a unique blend of biocides to deter both soft and hard fouling.

- Contains unique metal-free organic biocide technology to comply with the IMO ban on TBT coating technology.
- Biocides are non-persistent in the environment, with very short half lives
- Low VOC to comply with environmental regulations

# DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Mix thoroughly prior to use.

Application temperature 50-100 °F/ 10-38 °C.

Apply by airless spray, conventional spray, brush or roller.

Apply at 5 - 10 mils wet per coat. (3.0 - 6.0 dry mils per coat)

Recoat Time: 16 hours Launch Time: 24 hours

Thinning: If needed, do not exceed more than 5% by volume SW R7K100, R2K4, or R6K9.

Shelf Life: 24 months, unopened

Note: Refer to product data sheet for additional application and performance characteristics.

FOR MARINE APPLICATIONS ONLY.

[OTHER INFORMATION]

VOC: Unreduced or reduced with R6K9: Less than 330 g/l (2.78 lbs./gal, maximum)

Reduced with other solvents at 5%: Less than 350 g/l, 2.92 lbs/gal

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL** 

Pesticide that can not be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.

## **CONTAINER DISPOSAL**

Nonrefillable container. Do not reuse or refill this container. Triple rinse or (equivalent). Then eoffer for recycling or reconditioning, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

## DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE.

Contains solvents which can cause permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Per PR 2007-4 EPA Reg. 577-570 Page 3of 3

## **FIRST AID**

*IF SWALLOWED:* Call a Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

*IF IN EYES:* Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a *poison control center or doctor.* 

*IF ON SKIN:* Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

*IF INHALED:* Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

# Note to Physician

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

# PRECAUTIONARY STATEMENTS WARNING: HAZARDS TO HUMAN AND DOMESTIC ANIMALS

Causes substantial, but temporary eye injury. Harmful if swallowed or inhaled. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, smoking, chewing gum, using tobacco, or using restroom. Remove and wash contaminated clothing before reuse.

When used in confined areas or while spraying and/or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health, under the provisions of 30 CFR 11.

# **ENVIRONMENTAL HAZARDS**

Do not contaminate waters by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter waters. Dispose wastes debris in an approved landfill.

# PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. FLASH POINT APPROXIMATELY 102°F. Do not use or store near heat or open flame. Pesticide, container or rinse solution that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

NOTICE: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

The Sherwin-Williams Company Cleveland, Ohio 44115