

577-571

8/8/2011

1096



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number:

577-571

Date of Issuance:

AUG 8 2011

Term of Issuance:

Conditional

Name of Pesticide Product:

Seaguard 1083 Ablative Anti-Fouling Paint

NOTICE OF PESTICIDE:

[x] Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

The Sherwin-Williams Company
101 West Prospect Avenue
Cleveland, OH 44115-1075

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
a. Revise the "EPA Registration Number to read, "EPA Reg. No. 577-571".

Signature of Approving Official:

[Handwritten signature: M. Swindell]

Marshall Swindell
Product Manager Team-33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Date:

AUG 8 2011

EPA Reg. No. 577-571

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of your final printed labeling prior to release of this product for shipment. If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,



Marshall Swindell
Product Manager Team-33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure: (Stamped Label)

3096

Label Page 1 of 4

Front of Label

Sherwin-Williams specialty and Marine Coatings

Seaguard® 1083 Ablative Anti-Fouling paint

Color name

For protecting underwater hull surfaces from marine growth

Product Color and Number (varies based on color)

Product Identification Numbers and Codes

ACTIVE INGREDIENT	
Cuprous Oxide	48.20%
N-cyclopropyl-N'-(1,1-dimethylethyl) 6-(methylthio)-1,3,5-triazine- 3,4-diamine	0.50%
INERT INGREDIENTS	51.30%
TOTAL	100.00%

Equivalent to 42.81% metallic copper

CONTAINS PETROLEUM DISTILLATES


5 U.S. Gal
18.92 L

EPA Reg. No. 577- _____

EPA Est. No.
577-VA-01 577-KS-02 577-NJ-02
577-GA-01 577-CA-03 577-CA-04

ACCEPTED
with COMMENTS
EPA Letter Dated:
AUG 8 2011

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. **577571**



KEEP OUT OF REACH OF CHILDREN.

WARNING

FLAMMABLE! VAPOR HARMFUL. IRRITATES EYES, SKIN AND RESPIRATORY TRACT.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ELSEWHERE ON LABEL.

4096

Label Page 2 of 4

Back or Side of Label

an excellent

Seaguard® 1083 is a tin-free Ablative Antifouling paint specially formulated with a ~~unique~~ resin and cuprous oxide and biocide blends. This formula will provide outstanding service in severe tropical fouling conditions. Multiple coatings can extend haul out periods providing less paint build up. This is due to the ablative properties, which will provide a smooth surface resulting in reduced drag resistance to the underwater hull surface.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Mix thoroughly prior to use. Application temperature 50-100 °F / 10-38 °C. Apply at 4.0 – 7.0 mils wet per coat.
Recoat Time: 4 hours. Launch Time: 6 hours.
Thinning: If needed, do not exceed more than 5% by volume SW R7K100.
Shelf life: 24 months.

Note: Apply first coat of anti-fouling to final coat of Epoxy Anticorrosive (Seaguard® 5000-16 or Seaguard® 6000) while primer is still tacky, usually within 26 hours. Refer to product data sheet for application and performance characteristics.

For marine applications only.

DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE.
Contains solvents which can cause permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

ACCEPTED
with COMMENTS
EPA Letter Dated:

AUG 8 2011

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 577-571

5096

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a *poison control center or doctor.*

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

Note to Physician

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

NOTICE: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Keep container closed when not in use. Do not transfer contents to other containers for storage.

PESTICIDE DISPOSAL

Pesticide that can not be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.

CONTAINER DISPOSAL

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACCEPTED
with COMMENTS
EPA Letter Dated:

AUG 8 2011

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 577-571

PRECAUTIONARY STATEMENTS

WARNING: HAZARDS TO HUMAN AND DOMESTIC ANIMALS

HAZARDS TO HUMANS: Causes eye irritation. Avoid contact with skin, eyes or clothing.

Harmful if swallowed or if absorbed through skin. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants shoes and socks. Wash contaminated clothing before reuse. **Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.**

Never give anything by mouth to an unconscious person. Call a physician immediately. Avoid storage and usage near food and feed products. When used in confined areas or while spraying and/or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health, under the provisions of 30 CFR 11.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate waters by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. FLASH POINT APPROXIMATELY 80 °F. Keep away from heat and open flame. Pesticide, container or rinse solution that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

VOC: Less than 330 g/l

FOR MARINE APPLICATIONS ONLY.

The Sherwin-Williams Company
Cleveland, Ohio 44115

UPC CODE

ACCEPTED
with COMMENTS
EPA Letter Dated:

AUG 8 2011
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 577-571