

**ACTIVE INGREDIENTS:**

Parathion (O, O-Diethyl O-p-nitrophenyl  
thiophosphate . . . . . 1.0%

**INERT INGREDIENTS:** . . . . . 99.0%

100.0%

**DIRECTIONS FOR USE:**

As recommendations for the use of Parathion products vary in different agricultural areas, it is suggested that you consult your State Agricultural Experiment Station before using this product. If the crop to be dusted is for canning purposes, consult your cannery fieldman before applying dust. General recommendations for Dust No. 1 are shown below:

BEANS	Aphids	25-50 lbs./acre	Do not apply after bloom.
	Red Spider		
PEAS	Aphids	25-50 lbs./acre	Do not apply after bloom.
CABBAGE and CAULIFLOWER	Aphids	25-50 lbs./acre	Do not apply within 30 days of harvest.
ONIONS	Thrips	25-50 lbs./acre	Do not apply within 30 days of harvest.

**NON-WARRANTY**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



**POISON**



**DANGER: Keep Out Of Reach Of Children**

**ANTIDOTES:**

**INTERNAL:** Give a teaspoon of mustard in a glass of warm water, repeat until vomit fluid is clear. Have victim lie down and remain quiet after the physical vomiting has been carried out. Call a physician immediately. Atropine Sulfate is the antidote. 2 FAM is also antidotal and may be administered in conjunction with atropine.

**EXTERNAL:** If skin is contaminated wash thoroughly with soap and water.

May be fatal if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or a respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuff. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Poisonous to fish and wildlife. Do not contaminate any body of water nor apply when conditions favor drift from the area treated. Do not apply in any manner not specified on the label. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

ACCEPTED  
8-18-71  
595-132

USDA Reg. No. 595-132

Net Wt. 50 Lbs.