

# MALATHION DUST No. 4

[595-161]

## ACTIVE INGREDIENTS:

Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) ..... 4.0%

INERT INGREDIENTS: ..... 96.0%

Total 100.0%

Recommendations for use of Malathion vary in different agricultural areas. It is suggested that you consult your State Agricultural Experiment Station before using this product. If the crop to be dusted is for canning purposes, consult your Cannery Fieldman before applying dust.

## DIRECTIONS

To control Mexican Bean Beetle, Mites and Leafhoppers on Beans, apply 25-50 lbs. per acre. Do not apply within 10 days of harvest. To control Aphids on Peas and Potatoes, apply 25-50 lbs. per acre. Do not apply within 14 days of harvest. To control Spidermites and Aphids on Tomatoes, apply 25-50 lbs. per acre. Do not apply within 10 days of harvest.

USDA Reg. No. 595-161

8-4-71

Net Wt. 50 Lbs.

595-161 *RR Commercial*

## CAUTION:

### Keep Out of Reach of Children

Avoid prolonged breathing of mist or dust. Avoid repeated or prolonged contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. **NOTE TO PHYSICIANS:** Malathion, upon repeated or long use may cause Cholinesterase inhibition. Atropine is the antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes.

## NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instruction.



# HOLLAND

1345 STERLING, N.W. GRAND RAPIDS, MICHIGAN 49502