

ACCEPTED

CHLORDANE DUST NO. 5

(Insecticide Dust Contains 5% Chlordane)

ACTIVE INGREDIENTS:

Technical Chlordane*	5.0%
INERT INGREDIENTS.	95.0%
	100.0%

*Equivalent to 3,4-Dichloro-1,2,3,4-tetrahydro-4H-benzofuro[2,3-b]pyridine and 2,3,4,5-tetrahydro-4H-benzofuro[2,3-b]pyridine related compounds.

Recommended for specific use against a wide variety of insects.

DIRECTIONS

The following directions are furnished by us and are believed to be reliable. This dust should be applied at the rates suggested below depending on the size and spacing of the plants and the method of application.

ASPARAGUS To control Grasshoppers, apply 20 lbs. per acre in field margins only as a post cutting treatment. Do not make application when spears are in the field as contamination of the spears may result.

CABBAGE, CAULIFLOWER and BROCCOLI To control Cabbage Maggot, apply 60 lbs. per acre to soil surface prior to planting and repeat application when plants are set out in the field. Do not apply after heads or other edible parts begin to form.

CORN To control Wireworms, Broadcast Soil Treatment apply 120 lbs. per acre evenly and disc immediately into the top 4 inches of soil before planting.

STRAWBERRIES To control Spittle Bugs, apply at the rate of 35 lbs. per acre. Do not apply on strawberries during blooming or after the edible parts begin to form.

GOLF FAIRWAYS and LAWNS To control Ants, Crazy Ants, Argentine Ants, Fire Ants, Red Harvestor Ants, and Pharaohs Ants. For the control of Mound Building Ants, thoroughly dust individual mounds. Broadcast treatment apply dust at the rate of 50 to 60 lbs. per acre. Soil infesting insects: Cutworms, Wireworms, Mole Crickets, Green June Beetles, White Fringed Beetle Larvae, and Japanese Beetle Larvae, apply dust at the rate of 200 lbs. per acre. Apply dust before a heavy rainfall or wet down with ample water to carry insecticide below soil surface.

CAUTION: Keep Out of Reach of Children

Avoid inhalation of dust and contact with skin, eyes and clothing. In case of contact, flush thoroughly with water and wash hands and face with soap and water after using and before eating or smoking. Do not contaminate feed or foodstuffs. Apply this dust only as specified in the directions.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Toxic to fish and wildlife; birds feeding in treated areas may be harmed. Do not contaminate any body of water nor apply when conditions favor drift from the area treated.

NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

USDA Reg. No. 595-198

Net Wt. 50 lbs.



HAVILAND

1845 STERLING, N.W. GRAND RAPIDS, MICHIGAN 49502.