

MALATHION DUST NO. 5

[595-222]

ACTIVE INGREDIENTS:

Malathion (O,O-Dimethyl dithiophosphate of diethyl mercaptosuccinate)	5.0%
INERT INGREDIENTS:	<u>95.0%</u>
TOTAL	100.0%

Recommendations for use of Malathion vary in different agricultural areas. It is suggested that you consult your State Agricultural Experiment Station before using this product. If the crop to be dusted is for canning purposes, consult your cannery fieldman before applying dust.

DIRECTIONS

To control Mexican Bean Beetle, Mites and Leafhoppers on Beans, apply 25 to 50 lbs. per acre. Do not apply within 10 days of harvest. To control Aphids on Peas and Potatoes, apply 25 to 50 lbs. per acre. Do not apply within 14 days of harvest. To control Spidermites and Aphids on Tomatoes, apply 25 to 50 lbs. per acre. Do not apply within 10 days of harvest.

USDA Reg. No. 595-222

9-17-71
595-222

With Comments

Net Wt. 50 Lbs.

CAUTION:

Keep Out of Reach of Children

Harmful if swallowed. Avoid prolonged breathing of mist or dust. Avoid repeated or prolonged contact with skin. Wash thoroughly! Avoid contamination of feed and foodstuffs.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Toxic to fish. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

NOTE TO PHYSICIANS: Malathion, upon repeated, long use may cause Cholenesterase inhibition. Atropine is antidote.

NON-WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



HAVILAND

1915 STERLING N.W. GRAND RAPIDS MICHIGAN 49502

ACCEPTED WITH COMMENTS