



Reason For Issue: For printing.
Additional warning statement added.

Date Released: 7/14/83

Prev. Date Released: 6/24/83

FRONT PANEL



PURINA®
BRAND
DOG DIP

EPA Reg. No. 602-39

(3-row Checkerband)®

TO BE MIXED WITH WATER

Controls . . . Mange (Sarcoptic), Ticks, Fleas and Lice on Dogs

ACTIVE INGREDIENTS:

Gamma isomer of benzene hexachloride (from Lindane) . . .	6.50%
Xylene	45.45%
Aromatic petroleum derivative solvent	40.05%
INERT INGREDIENTS	8.00%
	<u>100.00%</u>

WARNING: KEEP OUT OF REACH OF CHILDREN
DO NOT USE ON CATS
SEE BACK PANEL FOR ADDITIONAL WARNINGS.

NET 8 FL OZ

D-3072

Manufactured By
RALSTON PURINA COMPANY
General Offices
Checkerboard Square
St. Louis, Missouri 63164



RECEIVED

OCT 03 1983

Regulation 1.118-101

BACK PANEL

HOW TO USE PURINA® DOG DIP
BRAND

FOR WATER SPRAY OR DIP

Mix 1/2 pint of Dog Dip with 8 gallons of water, or 1 ounce (2 tablespoons) per gallon.

Dip. Repeat treatment at weekly intervals for 2 or more applications as needed.

NOTE: All dogs must be treated thoroughly, including inside of ears. Two applications, a week apart, may be necessary. Infested premises should be sprayed using 1 pint of Dog Dip to 16 gallons of water; replace litter.

WARNING: Do not treat dogs within 30 days prior to giving birth to young. Do not treat nursing animals. Do not treat dogs less than 4 months old.

Avoid contact with skin, eyes, or clothing. Avoid contamination of feed and foodstuffs. Avoid breathing of vapor or mist. May be absorbed through skin. Wash hands and face thoroughly.

Harmful or fatal if swallowed. If swallowed induce vomiting. Call physician immediately.

STORAGE AND DISPOSAL

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

OCT 03 1988

Printed in U.S.A.

837 D

300/107184
17/4

Done
10/17/83

Robert L. Froyer
Ralston Purina Company
Cockfield Road
St. Louis, MO 63104

Dear Mr. Froyer:

Subject: Amendment - Label Locations
Purina Brand Log Lip
EPA Registration No. 602-89
Your Application Dated September 23, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Focenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Please note that your label requires reformatting to meet current regulations. For your convenience I have enclosed "Labeling requirements of the FIFDA, as amended" to aid you in revising your label.

Sincerely yours,

George T. Latocca
Product Manager (15)
Insecticide-Fungicide Branch
Registration Division (44-767)

RECEIVED: (1) - 107184:107184 - 107184:107184 - 201:107184/1/83

SEARCHED	INDEXED	SERIALIZED	FILED				

EPA

OFFICIAL FILE COPY