


602-126

Purina®



FOR USE IN FOOD AND BEVERAGE PROCESSING PLANTS, FOOD HANDLING ESTABLISHMENTS, INDUSTRIAL AND INSTITUTIONAL ESTABLISHMENTS AND BOXCARS.
Aids in Controlling Flies, Small Flying Moths, and Roaches, Ants, Confused Flour Beetle, Cadelles, Cheese Mites, Sawtooth Grain Beetle, Red Flour Beetle, Rusty Grain Beetle.

1991

P. 117

INSECTICIDE MIST SPECIAL

Active Ingredients:
Pyrethrins 0.50%
Piperonyl Butoxide, Technical* 0.75%
Petroleum Oils 98.75%

*Consists of 0.60% of (butylcarbityl) (6-propylpiperonyl) ether and 0.15% of related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE ADDITIONAL PRECAUTIONS BELOW**

**PRECAUTIONARY STATEMENTS
CAUTION
HAZARD TO HUMANS AND DOMESTIC ANIMALS**
Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call doctor immediately. Avoid breathing of spray mist. Do not remain in treated areas and ventilate the area after treatment is completed.
CHEMICAL AND PHYSICAL HAZARD
Do not store near open flame. Extinguish pilot lights and open flames before spraying. Do not apply to uncovered human foodstuffs or food products. Do not allow spray to remain on any plastic materials. Avoid contamination of milk and other equipment.
ENVIRONMENTAL HAZARD
This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
Remove pets, birds, and cover fish aquariums before spraying.

STORAGE AND DISPOSAL
Do not reuse empty container. Destroy when empty.

E.P.A. Reg. No. 602-126

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Insecticide Mist Special when facilities are not in operation. All edible products should be removed prior to use of this product. Close doors and windows, turn off ventilating systems, and extinguish open flames. Remove exposed products during spraying. Clean premises thoroughly by washing before operations are resumed. Repeat spraying as necessary.

To kill exposed stages of flying insects (flies, gnats, wasps, mosquitoes, and small flying moths)—Direct the spray mist towards the upper portions of the enclosure. Use INSECTICIDE MIST SPECIAL at the rate of 2 ounces for each 1,000 cubic feet of space. Keep doors and windows closed for 10 minutes following spraying.

To kill exposed stages of roaches, ants, confused flour beetle, sawtooth grain beetle, red flour beetle, rusty grain beetle, cadelles, and cheese mites—Apply as a coarse wet spray into all places commonly inhabited by these insects. Contact as many insects as possible with spray. Use 1 gallon of INSECTICIDE MIST SPECIAL for each 1,000 square feet of surface. Spray floors, walls, and other surfaces of bins, storage and handling areas thoroughly.

Boxcars—Use 1 gallon of INSECTICIDE MIST SPECIAL for each 1,000 square feet of surface. For protection of food and feedstuffs in transit, thoroughly spray floor and wall areas before loading. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

E.P.A. Est. No. 602-MQ-1

PURINA RESEARCH ASSURES QUALITY

Manufactured By
RALSTON PURINA COMPANY
Chemical Specialties Group

GENERAL OFFICES • CHECKERBOARD SQUARE • ST. LOUIS, MISSOURI 63108

LOT NO.

ACCEPTED

MAR 10 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 602-126

NET 55 GAL.

17800
61816