



Good Health to Your Horse From Purina™

EPA Reg. No. 502-131

Purina

Horse Spray Concentrate Insecticide

ACTIVE INGREDIENTS:


Butoxydipropylene glycol	50.00%
Permethrin	5.00%
INERT INGREDIENTS	45.00%
	100.00%

*Equivalent to 4.4% 2-(2-bis(4-methoxyphenyl)-1,1,1-trichloroethane) and 0.60% other isomers and related compounds

KEEP OUT OF REACH OF CHILDREN
CAUTION:
 SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET 1 GAL

Intended color of final label - Blue background with white type.



99
2

HOW TO USE PURINA[®] HORSE SPRAY CONCENTRATE

BRAND

For control of horn flies, mosquitoes, gnats, lice, horseflies, houseflies, stable flies and deer flies on horses.

MIXING DIRECTIONS

HORSES:

SPONGING—Mix 1 pint of Horse Spray Concentrate Insecticide with sufficient water to make 1 gallon of mixed solutions. Use a clean, empty gallon bottle for convenience in mixing and storing diluted solution. Sponge mixed solution on portions of the hair coat in the region of the ears, neck, back (except under saddles), belly and legs. Apply one pint to one quart per animal, according to the size of the animal.

SPRAYING—Mix 1 quart of Horse Spray Concentrate Insecticide with 9 quarts of water (12½ gallons). Use a compressed air sprayer of 3 to 4 gallon capacity. Shake thoroughly before using. Spray the entire animal using enough to dampen the hair coat or wet the skin. Apply one pint to one quart per animal, according to the size of the animal.

USE DIRECTIONS

Stable Flies and Houseflies—Apply at weekly intervals or as necessary.

Horseflies and Deer Flies—Apply every 3 days or as necessary to give continued protection.

Horn Flies, Mosquitoes, Gnats—Apply at two-week intervals or as necessary.

Lice—Apply so as to thoroughly wet the skin. Repeat after 10 days or as necessary.

CAUTION:

Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in an area inaccessible to children.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

EPA Est. No. 602-MO-1

Manufactured By
PURINA MILLS, INC.

P.O. Box 56812
St. Louis, Missouri 63166-6812 U.S.A.

