PA: 194

AUG 1 6 1991

recommendation of the second

The process of the Color Laboratory of the Color of the C

, the limit of the contribution of ϵ , so ϵ , such that ϵ , ϵ ,

remains the remainder the restriction of the restriction, Parist Color, See

The modest of the property of a sum of the contract of the co

State of the American State.

Material 1 1 20 m.,

Dine MEdward - Fr

Penning. Rod off, T. . Troduct Times (1988)
Threating to the property of the penning of the penn

. .

BEST AVAILABLE COPY

CONCURRENCES								
SYMBOL								
SURNAME								
DATE								
APPICIAL FILE CORY								

edment ber gra

Document Name: HORSEPY.1G

UPC CUDE: 01929801152

FRONT PANEL

(9-Square Logo)

Good Health to Your Horse From Purina

PURINA •

BRAND

HORSE SPRAY

CONCENTRATE INSECTICIDE

ACCEPTED

EPA Reg. No. 602-131

3 4 4

AUG 1 6 1991

Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the posticities registered under EPA Rey. No.

ACTIVE INGREDIENTS:

Butoxypolypropylene glycol 50.00% *Methoxychlor: 1,1,1-trichloro-2, 2-bis(p-methoxyphenyl) ethane ... 5.00% INFRT INGREDIENTS..... 45.00%

*Equivalent to 4.4% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.60% other isomers and related compounds.

(NOTE: Type size will conform with requirements for precautionary labeling)

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET 1 GAL

R-4306

Manufactured By PURINA MILLS, INC. P. O. Box 66812 St. Louis, Missouri 63166-6812 U.S.A.

HOW TO USE PURINA HURSE SPRAY CONCENTRATE

It is a violation of Federal law to use this product in a manner incensistent with its labeling.

For control of horn flies, mosquitoes, gnats, lice, horseflies, houseflies, stable flies and deer flies on horses.

MIXING DIRECTIONS

HORSES-SPONGING - Mix 1 pint of Horse Spray Concentrate Insecticide with sufficient water to make 1 gallon of mixed solution. Use a clean empty gallon bottle for convenience in mixing and storing diluted solution. Sponge mixed solution on portions of the hair coat in the region of the ears, neck, back (except under saddles), belly and legs. Apply one pint to one quart per animal, according to the size of the animal.

<u>SPRAYING</u> - Mix 1 quart of Horse Spray Concentrate Insecticide with 9 quarts of water (2-1 gallons). Use a compressed air sprayer of 3 to 4 gallon capacity. Shake thoroughly before using. Spray the entire animal using enough to dampen the hair coat or wet the skin. Apply one pint to one quart per animal, according to the size of the animal.

USE DIRECTIONS

Stable Flies and Houseflies - Apply at weekly intervals or as necessary.

<u>Horseflies and Deer Flies</u> - Apply every 3 days or as necessary to give continued protection.

Horn Flies, Mosquitoes, Gnats - Apply at two-week intervals or as necessary.

Lice - Apply so as to thoroughly wet the skin. Repeat after 10 days or as neces: ary.

CAUTION: Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call a physician Immediately.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. If irritation persists, seek medical attention.

IN INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF SWALIFMED: DO NOT induce vomiting. Drink 1-2 glasses of water. Seek prompt medical attention. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with soap and water. Remove contaminated circling and wash before reuse.

BEST AVAILABLE COPY

PRECUATIONARY STATEMENT CAUTION HAZARD TO HUMANS AND DOMESTIC ANIMALS

41 64 4

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in an area inaccessible to children.

<u>Pesticide Disposal:</u> Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

EPA Est. No. 602-MO-1

9104 E

Printed in U.S.A.

ş