


U.S.D.A. REG. NO. 602-146



TAKE TIME



OBSERVE LABEL DIRECTIONS

TO BE MIXED IN SOIL

PURINA SYSTEMIC BUG KILLER

CONTROLS SUCKING INSECTS ON ROSES-SHRUBS-FLOWERS



Active Ingredients:

O,O-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate †	2%
Inert Ingredients	98%
	<u>100%</u>

†U.S. PATENT NO. 2,759,010

WARNING: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL WARNING STATEMENTS

STOP—READ THE LABEL BEFORE USE

NET WT. 16 OZ. (1 LB.)

Distributed by
RALSTON PURINA COMPANY
General Offices • Checkerboard Square • St. Louis, Mo. 63199

DIRECTIONS FOR USE

SYSTEMIC BUG KILLER contains an insecticide which enters the plant by absorption through the roots. The insecticide placed near the roots is translocated to all parts of the plant and kills sucking insects feeding on the plant.

Plant	Insect Pest	How To Use
Roses Azalea Birch Camellia Euonymus Moraine Locust Pine Rhododendron yew and certain other shrubs.	Aphids Birch leaf miner Camellia scale Holly leaf miner Lace bug Leafhoppers Mimosa webworm Mites Pine tip moth Soft Scale Tea Scale Thrips White flies	For bushes and shrubs 1 to 3 feet tall, apply 2 rounded table-spoonfuls per foot of height. For bushes and shrubs 3 to 6 feet tall, apply 4 rounded table-spoonfuls per foot of height. Distribute granules uniformly under the shrub canopy, work into soil, and water thoroughly. Repeat applications at 4 to 6 week intervals if necessary.
Ageratum Calendula Carnation Chrysanthemum Delphinium Petunia and certain other flowers.	Aphids Lace bug Leafhoppers Mites Thrips White flies	For bedding plants apply 16 ounces per 200 square feet worked into soil before planting; or broadcast treatment after plants are established. Repeat application at 4 to 6 week intervals if necessary. For potted plants, use 1 rounded teaspoonful per 6-inch pot. Mix thoroughly with soil and drench with water.

RESTRICTIONS: Application at higher than recommended rates may cause plant injury. Do not apply broadcast applications to lawns.

CONTAINER DISPOSAL: DO NOT RE-USE THE CONTAINER. Completely empty the contents. Crush and dispose of empty container by burying or burning (Keep out of smoke). Do not use container in any connection with feed, food, and drinking water.

WARNING: Poisoning may occur as a result of exposure. May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Do not get in eyes, on skin or on clothing.

Apply this product only as specified on this label. Do not contaminate feed or food. Keep out of reach of children. Wash thoroughly after handling. Food utensils such as a teaspoon or measuring cup should not be used for food purposes after use with insecticides. Keep children and pets off treated areas until product is worked into the soil and the treated areas have dried completely.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

TO PHYSICIAN: ANTIDOTE—ATROPINE SULFATE. 2-PAM is also antidotal and may be administered in conjunction with atropine.

695C

G-9182

Printed in U.S.A.