

Back Page

How to Use Purina Germicide

Purina Germicide is a balanced phenolic disinfectant formulation effective in hard or soft water against most disease-producing bacteria, fungi, Newcastle and Infectious Bronchitis viruses.

Poultry and Livestock

Use 1 oz. of Purina Germicide to each gallon of water when applied to clean non-porous surfaces. Use 2 oz. of Purina Germicide to each gallon of water when applied to clean porous surfaces.

Hatcheries

Setters & Hatchers - After cleaning, spray all surfaces with a solution of Purina Germicide using 1 oz. to each gallon of water.

Trays and Other Equipment - After cleaning, spray or rinse with a solution of Purina Germicide using 1 oz. to each gallon of water.

Laboratories, Dog Kennels,
Rabbitries, and Fur Bearing Operations

Spray or rinse cleaned floors, walls and cages using 1 oz. of Purina Germicide to each gallon of water.

Shoe Poultry Crates and
Livestock Truck Sanitizing

Use Purina Germicide at the rate of 2 oz. to each gallon of water.

CAUTION.

Harmful if swallowed. Avoid skin and clothing contact and avoid splashing in eyes. Wash eyes with large amounts of water if exposed. In case of contact with skin, wash with soap and water. Avoid contamination of feed and feedstuffs.

Do not apply directly on poultry or animals. Avoid contamination of feed and feedstuffs.

PROTECT FROM FREEZING

Printed in U.S.A.

QUALITY CONTROLLED BY PURINA RESEARCH

Purina

PHENOLIC DISINFECTANT- DETERGENT

PUR

PHEN DISINI DETEI

 **CHEMICAL
SPECIALTIES™**

DIRECTIONS:

For general disinfecting, remove all filth and dirt from premises. Use one ounce of PURINA PHENOLIC DISINFECTANT-DETERGENT per gallon of water (1:128) on clean non-porous surfaces, such as floors, walls, and woodwork. Apply disinfecting solution so as to wet surfaces thoroughly.

When used as directed, PURINA PHENOLIC DISINFECTANT-DETERGENT is safe on all washable environmental surfaces.

CAUTION:

Harmful if swallowed. Avoid skin and clothing contact and avoid splashing in eyes. Wash eyes with large amounts of water if exposed. In case of contact with skin, wash with soap and water.

Keep Away From Children, Domestic Animals, and Foodstuffs.
FOR FURTHER ASSISTANCE CONTACT YOUR PURINA REPRESENTATIVE

C-0914

A disinfectant-detergent formulated for use in:

INDUSTRIAL PLANTS INSTITUTIONS
SCHOOLS OFFICE BUILDINGS

Active Ingredients:

Sodium salt of 4 and 6 chloro-2-phenylphenol.....	8.80%
Isopropyl alcohol.....	10.00%
Tetrasodium salt of ethylene diamine tetraacetic acid.....	0.50%
Inert Ingredients.....	80.70%

Use Dilution Confirmation A.O.A.C. Method

Staphylococcus aureus 1:128 Salmonella choleraesuis 1:128
Escherichia coli 1:128

Phenol Coefficient A.O.A.C. Method

Staphylococcus aureus 10 Salmonella typhosa 10

QUALITY ASSURED BY PURINA RESEARCH

7010 D


Printed in U.S.A.

Purina[®]

PHENOLIC DISINFECTANT- DETERGENT

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON BACK

 **Chemical
Specialties™**



NET 1 GALLON

**PURINA PHENOLIC
DISINFECTANT-DETERGENT**
is a balanced phenolic disinfectant formulation effective against most disease producing bacteria and fungi.

1-25-71
602-170



PROTECT FROM FREEZING

Manufactured by
RALSTON PURINA COMPANY
General Offices • Checkerboard Sq. • St. Louis, Mo. 63188