


[602-195]

Dec 29 1971

THE FEDERAL INSECTICIDE
RODENTICIDE ACT



SPRAY INSECTICIDE NO. 1

**KILLS . . . HOUSEFLIES, MOSQUITOES, GNATS,
WASPS, ANTS, ROACHES, SPIDERS, CENTIPEDES,
SOWBUGS, EARWIGS, GRAIN MITES.**

**Directions For Use In Hotels, Motels, Offices, Factories,
and Plants:** Remove cap. Point nozzle opening on side
of valve away from you. Press top of valve with finger.

Houseflies, Mosquitoes, and Gnats: Close all doors and
windows. Point nozzle upward, direct the spray mist to
all parts of the room, especially windows and other light
sources which attract these insects. Fill the room with
mist, then leave the treated area. Keep the room closed
for at least 15 minutes. Ventilate the room when treat-
ment is completed.

Wasps: Application should be made in late evening when
insects are at rest. Spray liberally into hiding and breed-
ing places, contacting as many insects as possible.
Repeat as necessary.

Ants: Spray trails, nests, and points of entry. Spray on
ants where possible. Repeat as necessary.

**Roaches, Spiders, Centipedes, Sowbugs, Earwigs, Grain
Mites:** Spray thoroughly into hiding places such as cracks,
crevices, moist areas, openings around pipes and sinks,
under refrigerators, baseboards, and storage areas. Spray
directly on insect where possible. Repeat as necessary.

In food plants, foods should be removed or covered
during treatment. All food processing surfaces should be
covered during treatment or thoroughly cleaned before
using. When using the product in these areas, apply
only when plant is not in operation.

WARNING: Contents Under Pressure. Do not puncture.
Do not expose container to temperatures above 120°F.
Never throw container into fire or incinerator.

Keep Out of Reach Of Children. Harmful if swallowed.
Avoid contamination of food and foodstuffs. Cover or
remove fish bowls.

QUALITY ASSURED BY PURINA RESEARCH

718 E

Printed in U.S.A.

C-1650



SPRAY INSECTICIDE NO. 1

**CHEMICAL
SPECIALTIES.**

Active Ingredients:

*(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2- methylpropenyl) cyclopropanecarboxylate...	0.250%
Related compounds	0.034%
Petroleum distillate	19.716%
Inert ingredients.....	80.000%
	100.00%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70%
(±) trans.

U.S. Patent No. 3,465,007

WARNING:
CONTENTS UNDER PRESSURE
KEEP OUT OF REACH OF CHILDREN
READ CAREFULLY OTHER CAUTIONS
ON BACK PANEL

NET WT. 20 OZ. (1 LB. 4 OZ.)

Distributed by
RALSTON PURINA COMPANY
General Offices • Checkerboard Sq. • St. Louis, Mo. 63188