

Reason for Issue: Correction in chemical name in ingredient statement. Signal word changed to caution.

Prev. Date Issued 5-24-71

Date Issued                     

PURINA<sup>(R)</sup>  
DIAZINON\* SPRAY


E.P.A. Reg. No. 602-198-AA

(<sup>(R)</sup>) In Checkers )

For  
YARD AND LAWN  
INSECT CONTROL

Active Ingredients:	
0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate . . . . .	12.5%
Aromatic Petroleum Derivative Solvent . . . . .	72.6%
Inert Ingredients . . . . .	14.9%
	<u>100.0%</u>

\*Diazinon a registered trademark of CIBA-GEIGY Corporation

TAKE TIME  
  
OBSERVE LABEL DIRECTIONS

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Other Cautions On Back Panel

Net Contents: 16 fl. oz. (1 Pint)

ACCEPTED

MAY 1 1971

U.S. DEPARTMENT OF AGRICULTURE  
OFFICE OF PESTICIDE REGULATION  
WASHINGTON, D.C. 20250

(Note: Type size and prominence will conform with requirements for precautionary labeling)

Distributed  
Ralston Purina Company  
General Offices  
Checkerboard Square  
St. Louis, Missouri 63188

Back Panel

CAUTION: COMBUSTIBLE MIXTURE

HOW TO USE PURINA DIAZINON SPRAY

OUTDOOR PESTS:

YARD INSECTS: Ants, Boxelder Bugs, Brown Dog Ticks, Clover Mites, Cockroaches (Waterbugs), Crickets, Earwigs, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders -

Mix 16 ozs. (1 pint) in 3 gallons of water (2½ tablespoonfuls to 1 quart of water). Apply as a coarse spray to areas infested with these pests. Spray a 5 foot wide area around foundation; spray foundation walls to height of 2 feet. Thoroughly spray window frames, doors, porch walls and ceilings, and into cracks where insects may hide. For ants, spray ant hills and runways. Spray boxelder bugs directly. Repeat application as re-infestations occur.

Note: Do not spray animals with this product.

LAWN INSECTS: Chinch Bugs, Sod Webworms (Lawn Moths), Bermuda Mites, Lawn Billbugs, Chiggers, Fleas, Thrips, Armyworms, Cutworms -

Apply 16 ozs. (1 pint) in 30 gallons of water for each 1000 sq. ft.

For Lawn Hose Sprayers dilute 2 ozs. (4 tablespoonfuls) with enough water to fill the sprayer jar to the 3 gallon level for 125 sq. ft.

Thoroughly wet down grass a few hours before applying. For Lawn Billbugs, water lawn thoroughly after treatment.

**CAUTION:** Harmful if swallowed. If swallowed induce vomiting by giving warm salt water. Call physician immediately. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. May be absorbed through skin. Wash thoroughly after handling. Keep children and pets off of lawns until spray has dried. Do not spray surfaces frequently contacted by children. Avoid storage near food and feed products. Keep out of reach of children. Do not use in the home.

Note: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine. Do not contaminate food, food containers or cooking utensils. Do not store or use near heat or open flame.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies.

Do not re-use empty container. Destroy container by perforating and bury or discard in a safe place.