602-209

SPACE MIST INSECTICIDE

DIRECTIONS:

Purina Space Mist Insecticide can be used to kill houseflies, mosquitoes, and gnats in food processing and handling plants, bakeries, restaurants, offices, schools, motels, hotels and hospitals.

HOUSEFLIES, MOSQUITOES, GNATS: Close doors and windows to eliminate drafts. Direct mist from sprayer towards ceiling to contact flying insects. When using fixed misting or fogging devices, disperse Space Mist Insecticide horizontally below level of ceiling rafters. Use at the rate of 1/2ounce for each 1,000 cubic feet of space. Keep building closed for 5 minutes after misting. Repeat spraying daily or as needed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

CAUTION: Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call physician immediately. Avoid

breathing of spray mist. Do not remain in closed area being treated; ventilate area when treatment is completed. In hospitals, remove patients during application and ventilate rooms for two hours before reoccupying.

In food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using Space Mist Insecticide as a space spray in these areas, apply only when plant is not in operation. Do not apply to uncovered human foodstuffs or food products. Avoid contamination of milk and milk equipment. Cover fish bowls and remove pets while spraying. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR **OPEN FLAME**

718 E

Quality Controlled By Purina Research

Printed in U.S.A.

P-2120

[602-209]

SPACE MIST INSECTICIDE


KILLS HOUSEFLIES, MOSQUITOES, GNATS, WASPS


Active Ingredients:	
*(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-	
(2-methylpropenyl) cyclopropanecarboxylate	. 0.250 %
Related compounds.	. 0.034%
Aromatic petroleum hydrocarbons	. 0.3319
Petroleum distillate	
*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans	100.000%


CAUTION: KEEP OUT OF REACH OF CHILDREN READ CAREFULLY OTHER CAUTIONS ON BACK PANEL



NET 5 GALLON







TAKE TIME



Manufactured by RALSTON PURINA COMPANY General Offices • Checkerboard Sq. • St. Louis, Mo. 63188