

PM17 602-209 1-25-90

Reason For Issue: Moving "Aromatic petroleum hydrocarbons" and Petroleum distillate" into Inert Ingredient listing. Date Issued: 1/18/90 (Green) 1/3
Send final labels to EPA. Prev. Date Issued: 5/15/89

PURINA[®]
BRAND

(9-Square Logo)

EPA Reg. No. 602-209

SPACE MIST INSECTICIDE

KILLS HOUSEFLIES, MOSQUITOES, GNATS, WASPS

ACTIVE INGREDIENTS:

Resmethrin*	0.250%
Related compounds	0.034%
INERT INGREDIENTS	99.716%
	100.000%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

Inert ingredients include Aliphatic petroleum hydrocarbons

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read Carefully Other Cautions on Back Panel

NET 55 GAL


P-2136

(Note: Type and prominence will conform with requirements for precautionary labeling.)

Manufactured By
PURINA MILLS, INC.
P. O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

(Not to be printed on label)
USDA Registered Category F1

Not Reviewed - Registrations to be in accordance with
EPA's Pesticide Product Guidance for Phase 2
New Active and Inert Change in Status.



Back Panel

PURINA[®] SPACE MIST INSECTICIDE
BRAND

For use in food and beverage processing plants, food handling establishments, industrial and institutional establishments, hospitals and nursing homes.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. If swallowed, do not induce vomiting. Call a physician immediately. Avoid breathing of spray mist. Do not remain in closed area being treated; ventilate area when treatment is completed.

Do not apply to uncovered human foodstuffs or food products. Avoid contamination of milk and milk equipment.

ENVIRONMENTAL HAZARD

Cover fish bowls and remove pets while spraying.

PHYSICAL OR CHEMICAL HAZARD

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOUSEFLIES, MOSQUITOES, GNATS:


Close doors and windows to eliminate drafts. Direct mist from sprayer towards ceiling to contact flying insects. When using fixed misting or fogging devices, disperse Space Mist Insecticide horizontally below level of ceiling rafters. Use at the rate of 1/2 ounce for each 1,000 cubic feet of space. Keep building closed for 5 minutes after misting. Repeat spraying daily or as needed.

WASPS:

Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

In hospitals and nursing homes, remove patients during application and ventilate rooms for two hours before reoccupying.

In processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using Space Mist Insecticide as a space spray in these areas, apply only when plant is not in operation.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Do not store near heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then refer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Est. No. 602-MO-1

PURE & RESEARCH ASSURES QUALITY

9001 P

Lot No.
Printed in U.S.A.

