

602-223

12/18/1972

1/2

Purina®

QUATERNARY DISINFECTANT


Active Ingredients:

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₆ , 5% C ₁₈)	11.8%
dimethyl benzyl ammonium chlorides	11.8%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5.9%
Ethyl Alcohol	70.5%
Inert Ingredients	

DANGER: KEEP OUT OF REACH OF CHILDREN
See Side Panel For Additional Precautions

**Chemical
Specialties™**

NET 1 GALLON



TM

PURINA QUATERNARY DISINFECTANT is effective against the following organisms—Staphylococcus aureus, Salmonella cholerae-sis, Pseudomonas aeruginosa, and Trichophyton interdigitale.

ACCEPTED

DEC 18 1972

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND REPLICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. 602-223



Manufactured by
RALSTON PURINA COMPANY
General Offices • Checkerboard Square • St. Louis, Missouri 63188


Purina

QUATERNARY DISINFECTANT P-5114

DIRECTIONS:

- 1. Food Processing Plants**—Thoroughly clean all equipment and then rinse. Sanitize with $\frac{1}{2}$ ounce of PURINA QUATERNARY DISINFECTANT per $4\frac{1}{2}$ gallons of water (200 ppm). Apply with cloth or automatic proportioning equipment. Make sure all surfaces have been thoroughly wetted. No rinse is required after sanitizing at this concentration.
- 2. Dairies**—Thoroughly clean and rinse equipment. Sanitize with a solution of $\frac{1}{2}$ ounce of PURINA QUATERNARY DISINFECTANT per $4\frac{1}{2}$ gallons of water (200 ppm). Apply with cloth or automatic proportioning equipment. Make sure all surfaces have been thoroughly wetted. No rinse is required after sanitizing at this use dilution.
- 3. Hospitals, Institutions, and Schools**—Thoroughly clean floors, walls, and other hard surfaces. Rinse. Disinfect with $1\frac{1}{2}$ ounces of PURINA QUATERNARY DISINFECTANT per 5 gallons of water (550 ppm). Apply with a clean mop or cloth so as to wet surfaces thoroughly.
- 4. Bars and Restaurants**—First wash dishes, glassware, silverware. Rinse thoroughly. Immerse in a $\frac{1}{2}$ ounce of PURINA QUATERNARY DISINFECTANT per $4\frac{1}{2}$ gallons of water (200 ppm.).

DANGER: Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Rinse Empty Container Thoroughly With Water and Discard

QUALITY ASSURED BY PURINA RESEARCH

7211D

Printed in U.S.A.

2/2