## HOW TO USE PURINA PLANT AND LAWN INSECTICIDE

PLANT PESTS: Aphids, bagworms, mites, grasshoppers, spill byigs, and writeful — use I ounce per 3 gallons of water (2 teaspoonfuls per gallon).

Cutworms, mealwhugs, leafhoppers, exposed thing—use 2 ounces per 3 gallons of water (4 Teaspoonfuls per gallon). Apply using suitable spray equipment. Provide a complete and uniform coverage of infested plants. Treat when pests appear: repeat at 7 to 10 day intervals, if needed. Note: Do not use on azaleas, camelias, poinsettias, roses or variegated ivy. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

LAWN PESTS: Chipch bugs, sod webworms, ants, brown dog ticks, cutworms, earwigs, crickets, grasshoppers—

Compression or Hose Sprayer: use 2 teaspoonfuls for each 3 gallons of water; apply 3 gallons of spray solution to each 100 sq. ft. of lawn.

Hydraulic sprayer: mix 3 ounces per 30 gallons of water for each 1000 sq. ft. of n.

Apply as a coarse large droplet spray. For best results the lawn should be moist at time of application. Provide a complete and uniform coverage of infested areas. Spray when pests first appear; re-treat when needed.

WARNING: Keep children and pets off 732 B

treated areas during and until spray has dried. Keep out of fishpools and other bodies of water as fish may be killed. Do not apply where run-off may occur. Do not apply when weather conditions favor drift from areas treated.

WARNING KEEP OUT OF REACH OF CHILDREN . . . MAY BE FATAL IF SWAL-LOWED ... MAY BE ABSORBED THROUGH SKIN ... MAY BE INJURIOUS TO EYES AND SKIN ... COMBUSTIBLE ... DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

Do not take internally. Do not get in eyes or on skin. Wash thoroughly after handling. Wash contaminated clothing before re-use. Flush contaminated eyes with plenty of water and get medical attention. Avoid breathing spray mist or vapors. Avoid spraying food crops. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Keep away from heat and open flame. Handle concentrate in ventilated area.

Note to physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as spec-med on this label.

Do not re-use empty container. Destroy when empty and discard in a safe place. G-7142 Printed in U.S.A.

EPA Reg. No. 602-230-AA

## PURINA" PLANT AND LAWN

IMRECTICIDE

Contains Euraban\* Insecticide For

Flowers e Shrubs e Vines e Evergreens e Trees e Lawns

Active Ingredients: Chlorpyrifos 0,0-diethly 0-(3,5,6-trichloro 2-pyridyl) phosphorothioate 13.70% Xylene 47.50% Petroleum Oils 34.50% 34.50% 4.30% Inert Ingredients..... \*Dursban-registerd trademark of The Dow Chemical Company U.S. Patent No. 3,244,586 Contains 1/8 pound of chlorpyrifos per pint.

BRERYE LABEL BIRECTIONS

WARNING: KEEP OUT OF REACH OF CHILDREN SEE OTHER WARNINGS ON BACK PANEL

NET CONTENTS: 16 FL. OZ. (1 PT.)

Manufactured by

## RALSTON PURINA COMPANY

General Offices • Checkerboard Square • St. Louis, Mo. 63188

QUALITY CONTROLLED BY PURINA RESEARCH

ACCEPTED

MAY 21 1973 UNDER THE FEDERAL INSECTICIDE