

## **HOW TO USE PURINA CHLORDANE INSECTICIDE-74E**

LAWN AND TURF INSECTS (Areas Not Grazed): Chiggers, Fleas, Ticks, Sod Webworms (Lawn Moths), Mole Crickets, Cutworms, Armyworms, Wild Bees, Wireworms-

Use ½ ounce (1 tablespoonful) per gallon of water to cover 500 square feet of lawn. Apply when insects are known to be present. Repeat if necessary.

Ants (including Fire and Harvester); Larvae of Japanese Beetle, Chafer Beetle, White-fringed Beetle, and Green June Beetle (White Grubs): Centipedes, Millipedes,

Use 1 ounce (2 tablespoonfuls) per gallon of water to cover 500 square feet of lawn. Sprinkle after applying to wash insecticide into soil. Apply when insects are known to be present. For ant mounds break surface of mound and saturate thoroughly. Repeat in 2 weeks if necessary.

WARNING: May be fatal or harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing 👹 spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

ANTIDOTE: External—In case of spillage on skin, wash promptly with soap and water.

Internal—Induce vomiting using 1 tablespoonful mustard in glass of water. Call a physician.

Do not treat lawns or other turf when people or animals are on them. Do not allow spray to drift to areas where they might injure people or animals or contaminate food or feed. Keep children and pets off treated areas until the insecticide has been washed off by sprinkling and the grass has completely dried.

HOUSEHOLD PESTS (FOR SPOT APPLICATION GNLY): Mix 1 ounce (2 tablespoonfuls) in 1 quart of water. Repeat application as often as necessary to maintain effective control.

 $\frac{2}{2}$  Ants, Cockroaches, Silverfish, Centipedes, Crickets, Scorpions—spray or paint baseboards, cracks, door sills. cabinets, closets, around pipe openings and other hiding places.

Spiders: Spray webs and corners where spiders gather.

**Brown Dog Ticks**: Spray or paint baseboards, door sills, edges of carpet, behind pictures and draperies, and all other possible hiding places. DO NOT TREAT DOGS WITH THIS PRODUCT.

Wasps: Spray nests, particularly nest openings; around windows and areas frequented by wasps.

Boxelder Bugs: Spray around or side of buildings where insects crawl. Repeat application as needed.

WARNINGS: Use on limited areas only. Do not treat entire walls or floor. Avoid spotting wallpaper and fabrics. Do not contamina - food, water, dishes or utensils. Allow treated dish and food shelves to dry; cover with shelf paper before s replacing articles. Do not allow children, pets or animals near treated surfaces until spray has dried. Do not use in dairy barns or poultry houses.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not re-use empty container. Destroy container and bury or discard in a safe place.


- **7**310C 

G-1722

Printed In U.S.A.

1

## QUALITY CONTROLLED BY PURINA RESEARCH



Manufactured by **RILSTON PURINA COMPANY** Gen-ral Offices+Checkerboard Sq.+St. Louis, Mo. 63188