

HOW TO USE PURINA ODOR CONTROL

Purina Odor Control is designed for the temporary relief of odors. This product will mask unpleasant odors and effectively reduce many organisms which cause odors.

1. For sanitization of farm livestock and poultry areas—Remove all poultry and animals from premises. Remove all feeds from premises, cars, boats, trucks, and other equipment. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities or fixtures occupied or traversed by poultry or livestock. Empty all troughs, racks, and other feeding and watering appliances. Mix Purina Odor Control at the rate of one ounce per gallon of water. Saturate floors or walls with this solution by spraying or sprinkling. Immerse all halters, ropes, and other types of equipment used in handling or restraining animals as well as forks, shovels, or scrapers. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not have poultry or livestock or employ equipment until treatment has been absorbed, set, or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable water prior to re-use.

2. For deodorizing pet animal quarters, pet animal quarters, or kennels—Spray or sprinkle solution of 1 ounce per gallon of water in problem areas. More applications may be needed depending on the intensity of the odor.

3. Purina Odor Control may also be used to mask unpleasant odors, pet animal quarters, or kennels in the following manner. Mix 1 ounce of Purina Odor Control with 1 quart of water and place in an open pan in an enclosed area. Add plain water to the pan daily until it is no longer effective at which time new solutions should be made up.

NOTE: Do not use with soap or other cleaners.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse Empty Container With Water and Discard

746 L


A-6425

EPA Est. 602—MO-1

Printed in U.S.A.

JUL 24

UNDER THE FEDERAL
Pesticide and R




PURINA®

E.P.A. Reg.

ODOR CONTROL

A combination deodorant and sanitizer for masking unpleasant odors and controlling odors due to microorganisms.

For the temporary relief of unpleasant odors in: Zoos • Poultry Houses • Animal quarters • Kennels • Hatcheries.



TROL

mask unpleasant odors and effectively

remove animals from premises. Remove all dirt and debris from floors, walls, and surfaces of poultry or livestock. Empty all troughs, troughs, and other types of equipment. Add one ounce per gallon of water. For equipment, ropes, and other types of equipment, treatment has been absorbed, set, and waterers must be thoroughly rinsed.

Use a solution of 1 ounce per gallon of water to reduce the intensity of the odor.

Use in poultry houses, kennels in the following manner: Sprinkle in an enclosed area. Add plain water to be made up.

For disinfection. Do not get in eyes, on skin, or on the examination of food.

Use for at least 15 minutes. For eyes,

use if these are not available, drink water.

Use for gastric lavage. Measures against

Active Ingredients:

Isopropyl Alcohol	15.00%
Essential Oils	10.00%
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.50%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.50%
Ethyl Alcohol	1.25%
Inert Ingredients	68.75%
	<hr/> 100.00%

PROTECT FROM FREEZING

**DANGER: KEEP OUT OF REACH OF CHILDREN
DO NOT USE, POUR, OR SPILL NEAR HEAT OR OPEN FLAME
See Back Panel For Other Precautions and First Aid**

NET CONTENTS: 32 FL. OZ. (1 QT.)

Manufactured By

RALSTON PURINA COMPANY
General Offices • Checkerboard Square • St. Louis, Missouri 6318

EPA Est. 602—MO-1

Printed in U.S.A.

**IA RESEARCH LABORATORY
ACCEPTED**

JUL 24 1974

UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT