

Reg # 602-242 PM-31

1/25/90

193

Reason For Issue: Moving "Isopropyl Alcohol"
"Essential Oils and Ethyl Alcohol" into
the Inert Ingredient listing.

Date Issued: 1/18/90 (Green)

Prev. Date Issued: 5/15/89

(9-Square Logo)

Front Panel

PURINA
BRAND

EPA Reg. No. 602-242

ODOR CONTROL

(3-Row Checkerband)

A combination deodorant and sanitizer for masking unpleasant odors and controlling odors due to microorganisms.

For the temporary relief of unpleasant odors in:

- Zoos
- Poultry Houses
- Animal Quarters
- Kennels
- Hatcheries

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.50%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.50%
INERT INGREDIENTS	95.00%
	100.00%

PROTECT FROM FREEZING

(14 pt.)- DANGER: KEEP OUT OF REACH OF CHILDREN -(10 pt.)

DO NOT USE, POUR, OR SPILL NEAR HEAT OR OPEN FLAME.


See Back Panel For Other Precautions and First Aid

NET 32 FL OZ (1 QT)

NET 32 FL OZ

PURINA
BRAND ODOR CONTROL

Manufactured By
PURINA MILLS, INC.
P.O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.



(Not to be printed on Label)
USDA Category C1

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

HOW TO USE PURINA[®] ODOR CONTROL BRAND

PURINA Odor Control is designed for the temporary relief of odors. This product will mask unpleasant odors and effectively reduce many organisms which cause odors.

1. For sanitization of farm livestock and poultry areas - Remove all poultry and animals from premises. Remove all feeds from premises, cars, boats, trucks, and other equipment. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities or fixtures occupied or traversed by poultry or livestock. Empty all troughs, racks, and other feeding and watering appliances. Mix PURINA Odor Control at the rate of one ounce per gallon of water. Saturate floors or walls with this solution by spraying or sprinkling. Immerse all halters, ropes, and other types of equipment used in handling or restraining animals as well as forks, shovels, or scrapers. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not have poultry or livestock or employ equipment until treatment has been absorbed, set, or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable water prior to re-use.
2. For deodorizing pet animal quarters, zoo areas, or kennels - Spray or sprinkle solution of 1 ounce per gallon of water in problem areas. More concentrated solutions may be needed depending on the intensity of the odor.
3. PURINA Odor Control may also be used to mask unpleasant odors, pet animal quarters, or kennels in the following manner. Mix 1 ounce of PURINA Odor Control with 1 quart of water and place in an open pan in an enclosed area. Add plain water to the pan daily until it is no longer effective at which time new solutions should be made up.


NOTE: Do not use with soap or other cleaners.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelation solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container at temperature above 32°F. Store in an area inaccessible to children and animals.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.


A-6425

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

9001 T

Printed in U.S.A.



Reason For Issue: Moving "Isopropyl Alcohol"
"Essential Oils and Ethyl Alcohol" into
the Inert Ingredient listing.

Date Issued: 1/18/90 (Green)

Prev. Date Issued: 5/15/89

Front Panel

(9-Square Logo)

PURINA
BRAND

EPA Reg. No. 602-242

ODOR CONTROL

(3-Row Checkerband)

A combination deodorant and sanitizer for masking unpleasant odors and controlling odors due to microorganisms.

For the temporary relief of unpleasant odors in:

- Zoos
- Poultry Houses
- Animal Quarters
- Kennels
- Hatcheries

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.50%
n-Alkyl (68% C ₁₂ , 32% C ₁₄ ,) dimethyl ethylbenzyl ammonium chlorides.....	2.50%
INERT INGREDIENTS	<u>95.00%</u>
	100.00%

PROTECT FROM FREEZING

(14 pt.)- DANGER: KEEP OUT OF REACH OF CHILDREN -(10 pt.)

DO NOT USE, POUR, OR SPILL FAR HEAT OR OPEN FLAME.

See Back Panel For Other Precautions and First Aid


NET 32 FL OZ (1 QT)

NET 32 FL OZ

PURINA
BRAND

Manufactured By
PURINA MILLS, INC.
P.O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

(Not to be printed on Label)
USDA Category C1



Reviewed. Registrant claims to be in accordance with
Product Guidance for Phase 2
12. Active to Inert Change in Status.

HOW TO USE PURINA[®] ODOR CONTROL
BRAND

PURINA Odor Control is designed for the temporary relief of odors. This product will mask unpleasant odors and effectively reduce many organisms which cause odors.

1. **For sanitization of farm livestock and poultry areas** - Remove all poultry and animals from premises. Remove all feeds from premises, cars, boats, trucks, and other equipment. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities or fixtures occupied or traversed by poultry or livestock. Empty all troughs, racks, and other feeding and watering appliances. Mix PURINA Odor Control at the rate of one ounce per gallon of water. Saturate floors or walls with this solution by spraying or sprinkling. Immerse all halters, ropes, and other types of equipment used in handling or restraining animals as well as forks, shovels, or scrapers. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not have poultry or livestock or employ equipment until treatment has been absorbed, set, or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable water prior to re-use.
2. **For deodorizing pet animal quarters, zoo areas, or kennels** - Spray or sprinkle solution of 1 ounce per gallon of water in problem areas. More concentrated solutions may be needed depending on the intensity of the odor.
3. PURINA Odor Control may also be used to mask unpleasant odors, pet animal quarters, or kennels in the following manner. Mix 1 ounce of PURINA Odor Control with 1 quart of water and place in an open pan in an enclosed area. Add plain water to the pan daily until it is no longer effective at which time new solutions should be made up.


NOTE: Do not use with soap or other cleaners.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelation solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container at temperature above 32°F. Store in an area inaccessible to children and animals.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

A-6425

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

9001 T

Printed in U.S.A.

