

Reason For Issue: Add hose end sprayer application.

Date Issued: 2/21/86 (Green)

Prev. Date Issued: 5/7/85



PURINA®*
BRAND

ACCEPTED
JUN 16 1986
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 602-245

DIAZINON**SPRAY 12-1/2%

EPA Reg. No. 602-245

(3-Row Checkerband®*)

PROTECTS
ROSES-FLOWERS-TREES-SHRUBS-
LAWNS-VEGETABLES-FRUITS-NUTS
NUISANCE PESTS IN OUTSIDE AREAS

ACTIVE INGREDIENTS:

Diazinon [Diethyl] 0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	12.50%
Xylene	40.20%
Petroleum distillate	40.15%
INERT INGREDIENTS	7.15%
	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUCION
AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta le haya sido explicada ampliamente.
(English Translation)
CAUTION
(TO THE USER): If you cannot read English, do not use this product until the label has been fully explained to you.)


NET 16 FL OZ (1 PT)

G-2687

Manufactured By
PURINA MILLS, INC.
800 Chouteau Avenue
St. Louis, Missouri 63164 U.S.A.

NET 16 FL OZ
PURINA®* DIAZINON**
BRAND
SPRAY 12-1/2%

* Trademark of Ralston Purina Company
**Diazinon a registered trademark of CIBA-GEIGY Corporation.



Back Panel

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Keep out of reach of children. Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not permit children or pets to go onto the sprayed grass until the spray has completely dried. Keep out of reach of domestic animals. DO NOT USE IN THE HOME. Do not contaminate ornamental fish ponds.

STATEMENTS OF PRACTICAL TREATMENT

- # If swallowed - Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
- If inhaled - Remove victim to fresh air. Apply respiration if indicated.
- If on skin - Wash immediately with soap and water.
- If in eyes - Flush eyes for at least 15 minutes with water. Call a physician immediately.

Note to Physician - If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, shrimp, crab, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS


Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Storage: Store unused Purina Diazinon Spray 2-1/2% in original container only, in cool, dry area out of reach of children and animals.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.



Hose-End Spayer Use

This product readily dispenses in water to form a spray that can be applied with garden hose applicators (hose-end sprayers). To ensure adequate coverage, use moderate to high water pressures when applying through hose-end sprayers. Follow directions on hose-end sprayer to deliver 1 fl. oz. per gallon of Purina Diazinon Spray 12-1/2% per gallon of water.

NOTE: See Directions For Use on Insert

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. 602-MO-1

8602 L

Printed in U.S.A.

