

37

38

**ACCEPTED**

SEP 28 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON, REGISTERED  
UNDER NO. 1002-387

# Purina

## CHLORINE SANITIZER O-40-II



EPA Reg. No. 602-247-AA

Active Ingredient:  
Sodium dichloro-s-triazinetriene dihydrate... 75.00%  
Inert Ingredients..... 25.00%  
Available Chlorine 40%

**DANGER:** KEEP OUT OF REACH OF CHILDREN  
SEE FIRST AID AND ADDITIONAL PRECAUTIONARY  
STATEMENTS ON BACK PANEL  
KEEP LID TIGHTLY CLOSED WHEN NOT IN USE  
MIX ONLY WITH WATER

**NET WT. 5 LB.**

P-1460



A highly concentrated chlorine sanitiz-  
er, deodorant, destainer, for food pro-  
cessing plants, dairies, and breweries.

**READILY SOLUBLE  
STABILIZED CHLORINE SOURCE  
EASY TO USE  
SANITIZES  
DEODORIZES  
DESTAINS**

Store in cool, dry, well-ventilated area.  
Keep container tightly closed when not  
in use. Protect from moisture contami-  
nation. Rinse empty container thor-  
oughly with water before discarding.

Manufactured By  
**RALSTON PURINA COMPANY**  
General Offices • Cherokee Square • St. Louis, Mo. 63188

RECEIVED  
26 SEP 1974  
REGISTRATION DIVISION  
PESTICIDES, SA

49

14

ACCEPTED

SEP 28 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO.

### CHLORINE SANITIZER O-40-II

For sanitizing pipelines, tanks, and other equipment in dairies, food processing plants, and breweries. First thoroughly clean all areas before sanitizing. Then dissolve PURINA CHLORINE SANITIZER-O-40-II in water and dilute to volumes as shown in the following tables.

#### 100 ppm available chlorine solution

1/2 ounce per 15 gallons of water

Solutions having minimum original strength of 100 ppm shall be in contact with the equipment for at least 2 minutes. The solution during the sanitizing process should not be allowed to fall below 50 ppm chlorine. No rinse is required.

#### 200 ppm available chlorine solution

1 ounce per 15 gallons of water

A rinse with potable water is required after sanitizing at this concentration.

Do not get in eyes or on the skin.

Do not breathe dust.

Wear safety goggles, dust respirator, and protective clothing when handling.

Do not take internally.

#### FIRST AID

**DANGER:** OXIDIZING MATERIAL. MAY BE FATAL IF SWALLOWED. MAY CAUSE EYE DAMAGE. PROTECT EYES WHEN HANDLING. MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT. MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, NOSE AND THROAT. DUST MAY BE

HARMFUL IF INHALED. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 350-475° WITH LIBERATION OF HARMFUL GASES.

**IN CASE OF PERSONAL CONTACT:** Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

**IN CASE OF DECOMPOSITION:** If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

**IF TAKEN INTERNALLY:** Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

**WARNING:** Handle with care. When measuring PURINA CHLORINE SANITIZER-O-40-II, use a china, plastic, or enamel cup or spoon that is completely dry, clean, and free from any foreign matter liquid or solid. PURINA CHLORINE SANITIZER-O-40-II is a strong oxidizing agent. Contact with heat, acids, combustible, or organic or oxidizable materials (such as vinegar, paint products, beverages, tobacco, cleaners, soap products, pine oil, kerosene, paper, rags, etc.) may cause fire. In case of fire, douse liberally with water. Never mix PURINA CHLORINE SANITIZER-O-40-II with anything except water. Keep in a cool dry place in original container. Always replace lid. Do not re-use container. Destroy when empty.

QUALITY CONTROLLED BY PURINA RESEARCH

75 00

1141 10 11 10

Printed in U.S.A.

RECEIVED  
SEP 28 1974  
PURINA RESEARCH  
MILWAUKEE, WIS.

# Purina<sup>®</sup>

## CHLORINE SANITIZER 0-40-II



EPA Reg. No. 602-207-AA

Active ingredient:

Sodium dichloro-s-triazine-tri-sulfonate

See back panel for details

**DANGER:** KEEP OUT OF REACH OF CHILDREN  
FIRST AID AND ADDITIONAL PRECAUTIONARY  
STATEMENTS ON BACK PANEL  
KEEP LID TIGHTLY CLOSED WHEN NOT IN USE  
MIX ONLY WITH WATER


NET WT. 5 LB.

SEP 28 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 602-247

# Purina

## CHLORINE SANITIZER O-40-II



EPA Reg. No. 602-247-AA

Active Ingredient:  
Sodium dichloro-s-triazinetriane dihydrate... 75.00%  
Inert Ingredients..... 25.00%  
Available Chlorine 40%

**DANGER:** KEEP OUT OF REACH OF CHILDREN  
SEE FIRST AID AND ADDITIONAL PRECAUTIONARY  
STATEMENTS ON BACK PANEL  
KEEP LID TIGHTLY CLOSED WHEN NOT IN USE  
MIX ONLY WITH WATER

NET WT. 5 LB.

P-1460



A highly concentrated chlorine sanitiz-  
er, deodorant, destainer, for food pro-  
cessing plants, dairies, and breweries.

**READILY SOLUBLE  
STABILIZED CHLORINE SOURCE  
EASY TO USE  
SANITIZES  
DEODORIZES  
DESTAINS**

Store in cool, dry, well-ventilated area.  
Keep container tightly closed when not  
in use. Protect from moisture contami-  
nation. Rinse empty container thor-  
oughly with water before discarding.

Manufactured By  
**RALSTON PURINA COMPANY**  
General Offices • Checkerboard Square • St. Louis, Mo. 63188

**ACCEPTED**

SEP 28 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 602-241

## CHLORINE SANITIZER 0-40-II

For sanitizing pipelines, tanks, and other equipment in dairies, food processing plants, and breweries. First thoroughly clean all areas before sanitizing. Then dissolve PURINA CHLORINE SANITIZER-0-40-II in water and dilute to volumes as shown in the following tables.

### 100 ppm available chlorine solution

1/2 ounce per 15 gallons of water

Solutions having minimum original strength of 100 ppm shall be in contact with the equipment for at least 2 minutes. The solution during the sanitizing process should not be allowed to fall below 50 ppm chlorine. No rinse is required.

### 200 ppm available chlorine solution

1 ounce per 15 gallons of water

A rinse with potable water is required after sanitizing at this concentration.

Do not get in eyes or on the skin.

Do not breathe dust.

Wear safety goggles, dust respirator, and protective clothing when handling.

Do not take internally.

### FIRST AID

**DANGER:** OXIDIZING MATERIAL. MAY BE FATAL IF SWALLOWED. MAY CAUSE EYE DAMAGE, PROTECT EYES WHEN HANDLING. MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT. MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, NOSE AND THROAT. DUST MAY BE

HARMFUL IF INHALED. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 350-475° WITH LIBERATION OF HARMFUL GASES.

**IN CASE OF PERSONAL CONTACT:** Remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

**IN CASE OF DECOMPOSITION:** If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

**IF TAKEN INTERNALLY:** Feed gruel or cooked cereal followed by olive oil or cooking oil. Call a physician.

**WARNING:** Handle with care. When measuring PURINA CHLORINE SANITIZER-0-40-II, use a china, plastic, or enamel cup or spoon that is completely dry, clean, and free from any foreign matter liquid or solid. PURINA CHLORINE SANITIZER-0-40-II is a strong oxidizing agent. Contact with heat, acids, combustible, or organic or oxidizable materials (such as vinegar, paint products, beverages, tobacco, cleaners, soap products, pine oil, kerosene, paper, rags, etc.) may cause fire. In case of fire, douse liberally with water. Never mix PURINA CHLORINE SANITIZER-0-40-II with anything except water. Keep in a cool dry place in original container. Always replace lid. Do not re-use container. Destroy when empty.

**QUALITY CONTROLLED BY PURINA RESEARCH**

747 H

EPA Est. No. 602-MO-1

Printed in U.S.A.

REGISTRATION OFFICE  
EPA  
24 SEP 1974