

Material and 602-250

03/19/1975

1/2


E.P.A. REG NO 602-250-AA



PURINA® CATTLE DUSTER INSECTICIDE

ACCEPTED
MAR 19 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 602-250

FOR DAIRY OR BEEF CATTLE
For Control of Hornflies and Lice
Aids in Reducing Face Flies on Cattle



Active Ingredient:

0,0-Diethyl 0-(3-chloro-4-methyl-2-oxo-
(2H)-1-benzopyran-7-yl)

phosphorothioate 1%

Inert Ingredients: 99%

100%

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON BACK PANEL

NET WEIGHT: 12½ POUNDS

Manufactured By RALSTON PURINA COMPANY
General Offices, Checkerboard Square
St. Louis, Missouri 63188

2/2

PURINA CATTLE DUSTER INSECTICIDE

A ready-to-use insecticide dusting powder for use in the refillable Purina Cattle Dust Bag—a weather-proof bag for use in open or sheltered areas. This product can also be used for hand dusting. Effective in controlling hornflies and lice; aids in controlling face flies. No withdrawal period required; may be used with dairy cattle in production or beef cattle being fed for slaughter.

USE DIRECTIONS

DUST BAG

Empty contents of bag (Cattle Duster Insecticide) into the Cattle Duster Bag through opening along edge of upper side. Close opening.

HOW TO HANG:

Hang Cattle Dust Bag by means of rope or chain placed through straps along top edge. For *Horn Fly and Lice control*, adjust height so that bottom of bag will hang a little below the backline of the animals using it. To aid in *reducing face flies*, hang bag so that animals will be forced to dust face daily.

WHERE TO HANG:

Suspend Cattle Dust Bag in locations where animals will frequently dust themselves on a free-choice basis; or in gateways or lanes through which animals are forced to pass daily for water, feed or mineral.

Dairy Cattle: For lactating dairy cows, hang in the exit of the milking barn.

Restrictions: Do not hang Cattle Dust Bag over feed, mineral or water troughs.

HAND DUSTING

Apply not more than 2 oz. (6 level tablespoonfuls) evenly into the hair over the head, neck, shoulders and tailhead. Repeat as necessary.

CAUTION: Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. If poisoning occurs, obtain prompt medical aid. Exposure will result in cholinesterase depression.

TO PHYSICIAN—Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not contaminate food or feed. Keep out of reach of children.

Do not re-use empty bag for any other purpose. Destroy bag by burying or discard in a safe place.

This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of waste. Use this product only as specified on this label.

ACCEPTED

MAR 19 1975

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 600-250