

Reason for Issue Moving "Petroleum distillate" into inert ingredient listing.

Date Released: 1/18/90

Prev. Date Released: 6/28/84

Front Panel



EPA Reg. No. 602-256

PURINA® (3-row Checkerboard®) BRAND FACEFLY BOMB

Helps control face flies, horse flies, stable flies, house flies, horn flies, deer flies, mosquitoes, gnats.

ACTIVE INGREDIENTS:

Pyrethrins	0.18Z
*Piperonyl butoxide, technical	0.36Z
**N-octyl bicycloheptene dicarboximide	0.60Z
***Di-n-propyl isocinchomerate	1.20Z
INERT INGREDIENTS	97.66%
	<u>100.00%</u>

Inert ingredients include Aliphatic petroleum hydrocarbons

*Consists of .288Z (butylcarbityl) (6-propylpiperonyl) ether and .072% related compounds.

**MGK 264 Insecticide Synergist

***MGK Repellent 326


NET WT 11 OZ

D-3634

DANGER - CONTENTS UNDER PRESSURE

KEEP OUT OF REACH OF CHILDREN

READ CAREFULLY OTHER CAUTIONS ON THE BACK PANEL



NET 11 OZ
PURINA® FACEFLY
BRAND
BOMB

Distributed By
PURINA MILLS, INC.
P. O. Box 66812
St. Louis Missouri 63166-6812

Not Reviewed Registrations to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2 12. Active to Inert Change in Status.

Back Panel

HOW TO USE PURINA^(R) FACEFLY BOMB
BRAND

Face Flies: Remove any mucous secretions or saliva deposits from face of dairy cattle, beef cattle, and horses. Spray lightly, face and other body regions where face flies gather - 4 to 5 seconds per head. Pay particular attention to the areas around the eyes and nostrils. Treat dairy cattle daily preferably while they are stanchioned for morning milking.

For temporary protection of dairy cattle, beef cattle, and horses from horse flies, horn flies, stable flies, deer flies, house flies, mosquitoes, and gnats. Hold container 12 inches from animal. Apply lightly to hair coat with a sweeping motion. Apply to back, belly, ear, or leg regions where the specific insect attacking the animal usually feeds. Do not spray entire body area. Spray young animals sparingly. Do not apply to back of horses before they are saddled. Repeat as necessary for continued protection. Avoid wetting hide.

CAUTION: Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call physician immediately. Avoid contamination of feed and foodstuffs.

Do not contaminate milk or milk handling equipment. Do not spray or store near heat or open flame.

DANGER! Extremely flammable, contents under pressure. Do not use near fire, heated surfaces, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash.

9001 D

Printed in U.S.A.

EPA Est. 11715-TN-1

