


E.P.A. REG. NO. 602-288



PURINA[®] BRAND HOG DUST INSECTICIDE

KILLS LICE AND FLEAS
AIDS IN PREVENTING SPREAD
OF SARCOPTIC MANGE

ACCEPTED
AUG 22 1960
EPA Reg. No. 602-288



Active ingredients:
Permethrin 10.0%
Hexachlorocyclopentadiene 10.0%
Pyrethrin 89.0%
Total 100.0%

10%
10.0%
89.0%
100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR
PRECAUTIONARY STATEMENTS

Manufactured by
RALSTON PURINA COMPANY

ST. LOUIS, MISSOURI • CHICAGO, ILLINOIS

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause skin irritation. Avoid contact with eyes, nose, mouth, and clothing. Wash hands thoroughly after use. Avoid contact with children and pets.

STATEMENT OF PRACTICAL TREATMENT

Apply to the back of the pig, between the ears, and to the neck and head.

Repeat application every 7 to 10 days.

Use only on pigs.

Wash eyes with clean water if contact occurs.

ENVIRONMENTAL HAZARDS

This product is not intended for use on humans or domestic animals.

DIRECTIONS FOR USE

TO KILL LICE, FLEAS AND TO AID IN PREVENTING THE SPREAD OF SARCOPTIC MANGE ON PIGS: Rub Hog Dust into the back of the pig, between the ears, and to the neck and head.

TO AID IN CONTROLLING FLEAS AND LICE: Rub Hog Dust into the back of the pig, between the ears, and to the neck and head.

Do not use on humans or domestic animals.

STORAGE AND DISPOSAL

Store in original container. Do not use if container is damaged or leaking.
PESTICIDE DISPOSAL: Do not use if container is damaged or leaking.
CONTAINER DISPOSAL: Do not use if container is damaged or leaking.

QUALITY CONTROLLED BY PURINA RESEARCH

NET WT. 25 LB.

22

D-4065