

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

NOTE FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

VEGETABLES

APPLICATION: For control of insects on vegetables, apply 1/2 to 1 lb. of General Sevin* per acre. Apply in early morning or late afternoon. Repeat applications as needed. For control of insects on beans, apply 1/2 to 1 lb. of General Sevin* per acre. For control of insects on cabbage, collards, broccoli, brussels sprouts, cauliflower, mustard greens, turnips, kohlrabi, and spinach, apply 1/2 to 1 lb. of General Sevin* per acre. For control of insects on cucumbers, squash, cantaloupe, pumpkins, and melons, apply 1/2 to 1 lb. of General Sevin* per acre. For control of insects on corn, apply 1/2 to 1 lb. of General Sevin* per acre.

QUALITY CONTROLLED BY PURINA HESFA

BRUSSELS
LETTUCE

CORRA
TOMATO, EGGPLANT, PEPPER

POTATO

INTERVAL BEFORE HARVEST

CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL



PURINA®

GENERAL SEVIN*-10

INSECTICIDE

Controls Garden and Ornamental Insects

E.P.A. REG. NO. 60

ACTIVE INGREDIENT
DELTA-METHYLHEPTACHLOR
NET WEIGHT

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS
ON THE BACK PANEL

NET WT. 4 LB.

RALSTON PURINA COMPANY
GENERAL OFFICES • CHICAGO, ILL. 60606
ST. LOUIS, MISSOURI 63164

E.P.A. REG. NO. 602-297



PURINA®

GENERAL SEVIN*-10

INSECTICIDE

Controls Garden and Ornamental Insect Pests



PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

NOTE FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

VEGETABLES

CAUTION: See label for use on...
BEETLES, EARWIGS, SPINACH, etc.

BAGE, COLLARDS, BROCCOLI, BRUSSELS
SPITS, CAULIFLOWER, MUSTARD GREENS, TUR
KOHLRABI AND SPINACH

CUMBERS, SQUASH, CANTALOUPE, PUMPKINS

DISPOSAL

QUALITY CONTROLLED BY PURINA RESEA

LETTUCE
ORRA
TOMATO, EGGPLANT, PEPPER
POTATO
INTERVAL BEFORE HARVEST
CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS
ON THE BACK PANEL

NET WT. 4 LB.

RALSTON PURINA COMPANY

GENERAL OFFICE: 500 N. MERIDIAN AVENUE
KANSAS CITY, MISSOURI 64108

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

See back panel for complete precautionary statements.

NOTE FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

See back panel for complete environmental hazard information.

DIRECTIONS FOR USE

VEGETABLES

APPLICATION: Spray thoroughly with a fine mist. For best results, spray in the evening. Do not spray on a hot, sunny day. Do not spray on a windy day. Do not spray on a rainy day. Do not spray on a day when the temperature is below 50°F. Do not spray on a day when the humidity is above 80%. Do not spray on a day when the wind speed is above 10 mph. Do not spray on a day when the relative humidity is above 80%. Do not spray on a day when the temperature is above 90°F. Do not spray on a day when the humidity is above 80%. Do not spray on a day when the wind speed is above 10 mph. Do not spray on a day when the relative humidity is above 80%. Do not spray on a day when the temperature is above 90°F.

JUST RECOMMENDED BY PURINA RESEARCH

CARROTS
LETTUCE

OKRA
TOMATO EGGPLANT PEPPER

POTATO
INTERVAL BEFORE HARVEST

CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL




PURINA®

GENERAL SEVIN* -10

INSECTICIDE

Controls Garden and Ornamental Insects

E.P.A. REG. NO. 602



Active Ingredient: Cyfluthrin (0.05%)
Inert Ingredients: 99.95%
Net Weight: 2.00 lb.

Keep out of reach of children. See back panel for complete precautionary statements.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THE BACK PANEL

NET WT. 2 LB.

RALSTON PURINA COMPANY
GENERAL OFFICE, ENO CHEMICALS, INC., 2000
N. MERIDIAN, INDIANAPOLIS, IN 46204

PRECAUTIONARY STATEMENTS

CAUTION

HARMS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children. Do not use in or around homes, schools, day care centers, hospitals, nursing homes, or other institutions. Do not use on lawns, lawns, or lawns.

For more information, contact your local health department or your physician.

STATEMENT OF PRACTICAL TREATMENT

See back panel for directions for use.

ENVIRONMENTAL HAZARDS

See back panel for environmental hazards.

DIRECTIONS FOR USE

VEGETABLES

CAUTION: Do not use on vegetables. Do not use on vegetables.

BRIDGE COLLARDS BROCCOLI BRUSSELS SPOUTS CAULIFLOWER MUSTARD GREENS TURNIPS KOHLRABI AND SPINACH

See back panel for directions for use.

ZUCCHINI SQUASH CANTALOUPE PUMPKINS

See back panel for directions for use.

See back panel for directions for use.

MADE IN U.S.A. ROLLED BY PURINA RESEA

CARROTS

LETTUCE

CORRA

TOMATO EGGPLANT PEPPER

POTATO

INTERVAL BEFORE HARVEST

CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL



PURINA®

GENERAL SEVIN*-10

INSECTICIDE

Controls Garden and Ornamental Insect Pests

E.P.A. REG. NO. 602-297



Net Weight 2 LB. (907 g)
Net Content 100% Sevin* 10
Net Weight 2 LB. (907 g)

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THE BACK PANEL

NET WT. 2 LB.

RALSTON PURINA COMPANY

ST. LOUIS, MO. 63103

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

NOTE FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

VEGETABLES

APPLICATION ...
BEANS ...
CABBAGE, COLLARDS, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER, MUSTARD GREENS, TURNIPS, KOMRABI AND SPINACH ...
CUCUMBERS, SQUASH, CANTALOUPE, PUMPKINS, MELONS ...
CORN ...

LETTUCE

OKRA
TOMATO, EGGPLANT, PEPPER

POTATO
INTERVAL BEFORE HARVEST
CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL

QUALITY CONTROLLED BY PURINA RESEARCH



PURINA®

GENERAL SEVIN*-10

INSECTICIDE

Controls Garden and Ornamental Insect

E.P.A. REG. NO. 602



ACTIVE INGREDIENT
CYFLUTHRIN 90% N-methyl carbamate
NET WT. 2 LB.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THE BACK PANEL

NET WT. 2 LB.

RALSTON PURINA COMPANY
GENERAL OFFICES • ONE ECKE RHODE SQUARE
ST. LOUIS, MISSOURI 63179

E.P.A. REG. NO. 602



PURINA[®]

GENERAL SEVIN*-10

INSECTICIDE

Controls Garden and Ornamental Insects

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

NOTE FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

CARROTS

LETTUCE

ONIONS

TOMATOES, PLANT PEPPER

POTATOES

INTERVAL BEFORE HARVEST

CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL

DIRECTIONS FOR USE

VEGETABLES

APPLICATION - Apply to soil or foliage of plants as directed. Do not apply to plants that are stressed or in bloom. Do not apply to plants that are to be eaten raw.

BEANS - Apply to soil or foliage of plants as directed. Do not apply to plants that are stressed or in bloom. Do not apply to plants that are to be eaten raw.

CABBAGE, COLLARDS, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER, MUSTARD GREENS, TURNIPS, KOHLRABI AND SPINACH - Apply to soil or foliage of plants as directed. Do not apply to plants that are stressed or in bloom. Do not apply to plants that are to be eaten raw.

CUCUMBERS, SQUASH, CANTALOUPE, PUMPKINS, MELONS - Apply to soil or foliage of plants as directed. Do not apply to plants that are stressed or in bloom. Do not apply to plants that are to be eaten raw.


CORN - Apply to soil or foliage of plants as directed. Do not apply to plants that are stressed or in bloom. Do not apply to plants that are to be eaten raw.

DISPOSAL - Dispose of this product in accordance with the instructions on the label. Do not reuse the container.

PRECAUTIONS - Do not breathe dust or fumes. Do not get on clothing. Wash hands thoroughly after use. Do not eat, drink, or smoke while using this product.

STORAGE - Store in original container in a cool, dry place. Do not store in areas where children or pets can access.

QUALITY CONTROLLED BY PURINA RESEARCH



KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THE BACK PANEL

NET WT. 1 LB.

RALSTON PURINA COMPANY

ST. LOUIS, MO. 63103

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

NOTE FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

VEGETABLES

LOCATION: ...
APPLICATION: ...
VEGETABLES: ...
BAGE, COLLARDS, BROCCOLI, BRUSSELS
SPROUTS, CAULIFLOWER, MUSTARD GREENS, TURNIPS,
KOHLRABI, AND SPINACH
...
SQUASH, CANTALOUPE, PUMPKINS
...
DISPOSAL: ...

APPLES
...
LAWNS
...
POTATOES
...
INTERVAL BEFORE HARVEST
...
CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL

QUALITY CONTROLLED BY PURINA RESEARCH




PURINA[®]

GENERAL SEVIN* -10

INSECTICIDE

Controls Garden and Ornamental Insect Pests

EPA REG NO 602 297



KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE ADDITIONAL PRECAUTIONARY STATEMENTS
ON THE BACK PANEL

NET WT. 1 LB.

RALSTON PURINA COMPANY

ST. LOUIS, MO. • CHICAGO, ILL. • KANSAS CITY, MO.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

NOTICE TO PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

ADD

TRA

TRAFFIC EQUIPMENT

TRA

INTERVAL BEFORE HARVEST

CAUTION



PURINA[®]

GENERAL SEVIN[®]-10

INSECTICIDE

Controls Garden and Ornamental Insects

EPA REG NO. 6

ORNAMENTALS

DIRECTIONS FOR USE

VEGETABLES

APPLICATION - Mix 1/2 ounce of General Sevin[®]-10 with 1 gallon of water. Spray thoroughly on both sides of leaves. Repeat every 7 to 10 days.

BEANS - Apply to foliage. Repeat every 7 to 10 days.

CABBAGE COLLARDS BROCCOLI BRUSSELS SPROUTS CAULIFLOWER MUSTARD GREENS TURNIPS KOHLRABI AND SPINACH - Apply to foliage. Repeat every 7 to 10 days.

CUCUMBERS SQUASH CANTALOUPE PUMPKINS MELONS - Apply to foliage. Repeat every 7 to 10 days.

CORN - Apply to foliage. Repeat every 7 to 10 days.

LAWNS

EARWIGS

DISPOSAL

APPLY TO THE ENTIRE SURFACE OF THE PLANT. REPEAT EVERY 7 TO 10 DAYS.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENT ON THE BACK PANEL

NET WT. 5 LB.

RALSTON PURINA COMPANY

QUALITY CONTROLLED BY PURINA RESEARCH

E.P.A. REG. NO. 602-297



PURINA®

GENERAL SEVIN*-10

INSECTICIDE

Controls Garden and Ornamental Insect Pests



CAUTIONARY STATEMENTS

CAUTION

TO HUMANS AND DOMESTIC ANIMALS

FOR PHYSICIAN

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

VEGETABLES

Apply to the following vegetables:
BAGE COLLARDS BROCCOLI BRUSSELS
SPITS CAULIFLOWER MUSTARD GREENS TURNIP
KOHLRABI AND SPINACH
SQUASH CANTALOUPE PUMPKINS

CARROTS
LETTUCE

ORNA
TOMATO EGGPLANT PEPPER

POTATO

INTERVAL BEFORE HARVEST

CAUTION

ORNAMENTALS

LAWNS

EARWIGS

DISPOSAL

ACTIVE INGREDIENT

NET WT. 5 LB.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS
ON THE BACK PANEL

NET WT. 5 LB.

RALSTON PURINA COMPANY

QUALITY CONTROLLED BY PURINA RESEARCH