

Reason For Issue: Additional Brand Name Registration.

77

Date Released: 3-1-74 (Green)

Prev. Date Released: New

Front Panel



R

PURINA®
Brand

EPA Reg. No. 602-300

(3-Row Checkerband)®

WOUND INSECTICIDE

Protects Wounds Against Screwworms,
Fleece Worms, Adult Blowflies, & Spinose Ear Ticks

KEEP OUT OF REACH OF CHILDREN

CAUTION


See Back Panel For Additional Precautionary Statements

ACTIVE INGREDIENTS:

Chlorpyrifos, O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)	2.50%
phosphorothioate
Dipropyl isocinchomerate	44.50%
Kerosene, Odorless	52.60%
INERT INGREDIENTS	100.00%


NET WT 10.00

E-9671



Distributed By
PALMER PURINA COMPANY
General Offices
Checkerboard Square
St. Louis, Missouri 63164

(Note: Type size will conform
with requirements for precautionary
labeling.)



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful or fatal if swallowed. Keep away from eyes. Avoid inhalation and skin contact.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Harmful if swallowed. Call a physician or poison control center. Do not induce vomiting because of aspiration hazard.

If In Eyes - May cause eye irritation. Avoid eye contact. Flush with plenty of water and get medical attention if irritation persists.

If On Skin - Wash thoroughly with soap and water. Avoid inhalation.

Do not use in or around mink, mink kits, cats or other animals that lick themselves.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable, contents under pressure. Keep away from fire, sparks, or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use on swine, cattle and sheep. Do not treat animals less than 14 days of age. Shake vigorously before using. Point valve opening toward wound and hold container 3 to 6 inches from wound while spraying.

To protect wounds: When wounds become infected the supplemental use of a disinfectant solution may be necessary.

To kill and control screwworms, fleece worms and adult blowflies in and around superficial wounds: Spray wounds allowing material to penetrate into pockets made by maggots. Apply over the bloody discharge around wound to prevent reinfestation. Treat at 5 to 7 day intervals until wound is healed.

To kill spinose ear ticks: Spray downward directly into animal's ear.

STORAGE AND DISPOSAL

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

E.P.A. Est. No. 33595-MO-1

843 E

Printed in U.S.A.

