

Reason For Issue: Moving "Kerosene"
into Inert Ingredients listing. Submit final
labels to EPA.

62-300 PM 12

10/26/81
Date issued: 5/15/89 (yellow) 173

Prev. Date Issued: 1/11/88

FRONT PANEL

(9-Square Logo) ●

PURINA ●
BRAND

EPA Reg. No. 602-300

WOUND PROTECTOR-D

(3-Row Checkerband ●)

Protects Wounds Against Screwworms,
Fleece Worms, Adult Blowflies, & Spinose Ear Ticks

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

ACTIVE INGREDIENTS:

Chlorpyrifos, O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate..	2.50%
Dipropyl isocinchomeronate.....	.40%
INERT INGREDIENTS.....	97.10%
	100.00%


This product contains the toxic inert ingredient methylene chloride.

NET WT 10 OZ

D-9621

Distributed By
PURINA MILLS, INC.
P.O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

(Note: Type size will conform
with requirements for precautionary
labeling.)



Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful or fatal if swallowed. Keep away from eyes. Avoid inhalation and skin contact.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Harmful if swallowed. Call a physician or poison control center. Do not induce vomiting because of aspiration hazard.

If In Eyes - May cause eye irritation. Avoid eye contact. Flush with plenty of water and get medical attention if irritation persists.

If On Skin - Wash thoroughly with soap and water. Avoid inhalation.

Do not use in or around mink, mink kits, cats or other animals that lick themselves.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with cholinesterase inhibiting drugs, pesticides, or chemicals. Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS


Extremely flammable, contents under pressure. Keep away from fire, sparks, or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130 ° F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use on swine, cattle, sheep and goats. Shake vigorously before using. Point valve opening toward wound and hold container 3 to 6 inches from wound while spraying.

To protect wounds: For castration, dehorning, docking, branding, wire or shear cut wounds, spray directly into the wound and on surrounding area. Treat navels of newborn animals. Apply to drainage area below wound to prevent infestation. Retreat at 5 to 7 day intervals until wounds are healed. When wounds become infected the supplemental use of a disinfectant solution may be necessary.



To kill and control screwworms, fleece worms and adult blowflies in and around superficial wounds: Spray wounds thoroughly allowing material to penetrate into pockets made by maggots. Apply over the bloody discharge around wound to prevent reinfestation. Treat at 5 to 7 day intervals until wound is healed.

To kill spinose ear ticks: Spray downward directly into animal's ear. Repeat at 5 to 7 day intervals as needed.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame. Store in an area inaccessible to children. Do not store near food or feed products.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

EPA Est. No. 33595-MO-1

8905 G

Printed in U.S.A.

