

1

•---

Right Side Panel

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

NOTE FOR PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds.



GENERAL CLASSIFICATION

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For control of House mice.

<u>Urban areas</u>: May be used in and around the periphery of homes, industrial, commercial, and public buildings. May also be used in alleys. Do not use in sewers.

<u>Non-urban areas</u>: May be used inside of homes only. Treated baits must be placed in tamper-proof boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS:

Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rooerus or their signs have been observed. Remove as much food as possible.

P. 2

** ...

APPLICATION DIRECTIONS:

HOUSE MICE:

House mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Apply 1/4 to 1/2 ounce of bait at intervals of 8 to 12 feet per placement. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait according to "Disposal" paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

<u>Pesticide Disposal</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>Container Disposal</u>: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-M0-1

1 839 B

Printed in U.S.A.

EPA REGISTRATION NO. DATE U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (#/1-567) TERM OF ISSUANCE WASHINGTON, L.C. 21461 NOTICE OF PESTICIDE: HEAFSISTANTICA NAME OF PESTICIDE PRODUCT (Under the Federal Insecticide, Fundscide and Rodentiside Act, as amended). 171 108 200 NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Г L NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. E.PA registration number. On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under ederal Insecticide, Fungicide, and Rodenticide Act. spy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pest-icide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. *) SEST DOCUMENT AVAILABLE ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL DATE

1



- Subsite reception to subscap, care to subject to an efficiency of the subject sectors.
 An contract sectors, 1113, 100000.
- 4. Subsitution (5) content your cipal primes lateral provide your providences the providence of the

A storped only on the later is appleaded for your moment.

William H Willie

1

÷

÷

l.

;

1

| | |

i

(a) Dominical Statistical Technical Statistical (U.C.)
 (a) Contraction Statistical Stati

with DUbblande has been to

· · · · · · · ·