

pm 13


602-309

1 of 5

Reason For Issue:  
Updated per EPA revisions.  
Add additional warning statements.

Date Issued: 11/19/85 (Green)

Prev. Date Issued: 10/29/85



FRONT PANEL

PURINA <sup>B\*</sup>  
BRAND

DOG DIP

EPA Reg. No. 602-309

(3-Row Checkerband <sup>(R)\*</sup>)

(FOR KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY) TO BE MIXED WITH WATER  
(Same type size as signal word)

Controls . . . . . Mange (Sarcoptic), Ticks, Fleas and Lice on Dogs

ACTIVE INGREDIENTS:

Lindane (Gamma isomer of benzene hexachloride) . . . . . 6.50%

INERT INGREDIENTS . . . . . 93.50%  
100.00%


WARNING

KEEP OUT OF REACH OF CHILDREN

DO NOT USE ON CATS

AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT  
MORE THAN 12 TIMES PER YEAR

SEE BACK PANEL FOR ADDITIONAL WARNINGS



NET 8 FL OZ

D-3072

Manufactured By  
PURINA MILLS, INC.  
800 Chouteau Avenue  
St. Louis, Missouri 63164 U.S.A.

\*Trademark of Ralston Purina Company

**PRECAUTIONARY STATEMENTS****HAZARD TO HUMANS & DOMESTIC ANIMALS****WARNING**

Harmful or fatal if swallowed.

Do not treat dogs within 30 days prior to giving birth to young. Do not treat nursing animals. Do not treat dogs less than 4 months old. Avoid contact with skin, eyes, or clothing. Avoid contamination of feed and food stuffs. Avoid breathing of vapor or mist. May be absorbed through skin. Wash hands and face thoroughly after handling and before eating or smoking.

Do not treat toy breeds or dogs weighing less than 20 lbs. of body weight.

Do not allow dogs to ingest dip concentrate or solution. Ingestion can cause serious injury to your dog.

Do not dip dogs with long or excessive hair coats. This may cause excessive amounts of dip to accumulate and cause serious injury to your dog.

Do not allow dogs to groom or lick themselves immediately after dipping.

Symptoms of overdosage may include trembling, salivation, arching of back, staggering, and falling. At the first sign of adverse reactions, consult a veterinarian and thoroughly wash animals to remove excess dip or spray.

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled: Remove the victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

**PRECAUCION**

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(English Translation)

**CAUTION**

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**BACK PANEL**

HOW TO USE PURINA® \* DOG DIP  
BRAND

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Dip Definition**

To Dip: Place dog into dipping solution quickly and remove immediately. Do not submerge the dog's head under the solution or allow dog to remain in dipping solution for long periods of time.

**FOR WATER SPRAY OR DIP**

Mix 1/2 pint of Dog Dip with 8 gallons of water, or 1 ounce (2 tablespoons) per gallon.

Dip. Repeat treatment at weekly intervals for 2 or more applications as needed.

NOTE: All dogs must be treated thoroughly, including inside of ears. Two applications, a week apart, may be necessary. Infested premises should be sprayed using 1 pint of Dog Dip to 16 gallons of water; replace litter.

Children under the age of 13 should not be allowed to handle or apply this product.

An individual applicator must not apply this product more than 12 times per year. Each treatment of three dogs or fewer should be considered one use.

Applicators must wear long-sleeved shirt, long pants, elbow-length, waterproof gloves; waterproof apron, and unlined, waterproof boots.

Improper dilution could cause serious injury to your dog. For kennel, commercial, farm and sport dog uses only.

"Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of use dip solution per month or more than 1000 kg used dip solution in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA. Any user who wishes to treat, store or dispose of hazardous waste must obtain a permit to serve as a hazardous waste facility pursuant to RCRA."

BACK PANEL - ContinuedSTORAGE AND DISPOSAL

DO NOT STORE NEAR HEAT OR OPEN FLAME.

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedures.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

# 8511 L  
1

Printed in U.S.A.

**HOW TO USE PURINA® DOG DIP  
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Dip Definition:**

To Dip: Place dog into dipping solution quickly and remove immediately. Do not submerge the dog's head under the solution or allow dog to remain in dipping solution for long periods of time.

**FOR WATER SPRAY OR DIP:**

Mix 1/4 pint of Dog Dip with 8 gallons of water, or 1 ounce (2 tablespoons) per gallon.

Dip: Repeat treatment at weekly intervals for 2 or more applications as needed.

**NOTE:** All dogs must be treated thoroughly, including inside of ears. Five applications, a week apart, may be necessary. Infested premises should be sprayed using 1 pint of Dog Dip to 16 gallons of water; replace floor.

Children under 13 should not be allowed to handle or apply this product.

An individual applicator must not apply this product more than 12 times per year. Each treatment of three dogs or fewer should be considered one use. Applicators must wear long-sleeved shirt, long pants, elbow-length, waterproof gloves, waterproof shoes, and unlaced, waterproof boots. Improper dilution could cause serious injury to your dog. For kennel, commercial, farm and sport dog uses only.

Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of used dip solution per month or more than 1000 kg used dip solution in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA. Any user who wishes to treat, store or dispose of hazardous waste must obtain a permit to serve as a hazardous waste facility pursuant to RCRA.

**STORAGE AND DISPOSAL**

**DO NOT STORE NEAR HEAT OR OPEN FLAME**

Do not reuse empty container. Wrap container in newspaper and put in trash.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602 MO-1

Manufactured By  
**PURINA MILLS, INC.**  
P.O. Box 66812  
St. Louis, Missouri 63166-6812



54030 B3073 Printed in U.S.A.



Purina Research Approved

# Dog Dip

Controls Mange (Sarcoptic), Ticks, Fleas, Lice

## TO BE MIXED (FOR KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY)

**ACTIVE INGREDIENTS:**

Lindane (Gamma Isomer of benzene hexachloride) 6.50%

**INERT INGREDIENTS** 93.50%

100.00%

Contains Xylene and Petroleum Distillates  
**KEEP OUT OF REACH OF CHILDREN**

### WARNING

**DO NOT USE ON CATS**

**AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN 12 TIMES PER YEAR  
SEE BACK PANEL FOR ADDITIONAL WARNINGS**

**NET 16 FL OZ (1 PT)**

EPA Reg. No. 602-309

**PRECAUTIONARY STATEMENT  
HAZARD TO HUMANS & DOMESTIC ANIMALS  
WARNING**

Harmful or fatal if swallowed.  
Do not treat dogs within 30 days prior to giving to nursing animals. Do not treat dogs less than 4 months old, skin, eyes, or clothing. Avoid contamination of the breathing of vapor or mist. May be absorbed through skin after handling and before eating or drinking.  
Do not allow dogs to ingest dip concentrate or solution.  
Do not allow dogs to lick themselves.  
Do not allow dogs to groom or lick themselves.  
Symptoms of overdosage may include trembling, staggering and falling. At the first sign of adverse reaction, contact your veterinarian and thoroughly wash animals to remove dip.  
**STATEMENT OF PRACTICAL TIPS:**  
If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration.  
If inhaled: Remove the victim to fresh air. Apply first aid as indicated.  
If on skin: Remove contaminated clothing and wash with soap and water.  
If in eyes: Flush eyes with plenty of water. Call your physician immediately. Solvent presents aspiration hazard if material was taken internally.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic life. Do not contaminate water by cleaning of disposal.  
**PHYSICAL AND CHEMICAL HAZARDS:** Do not use near heat or open flame.

**PRECAUTION:**  
AL USUARIO: Si usted no lee inglés, no use este producto si haya sido explicada ampliamente en español.  
**CAUTION:**  
(TO THE USER: If you cannot read English, do not use this product if the label has been fully explained to you.)

**NOT REVIEWED**  
In accordance with FR Notice 1  
Based on draft labelling date

*Handwritten note:* This is a copy of the original label for Dog Dip.