

Reason For Issue: Changes per EPA.

Date Issued: 10/12/90 (Green)  
Prev. Date Issued: 5/15/90

Front Panel

(3-Row Checkerband®)

EPA Reg. No. 602-313

(9- Square Logo)●

PURINA®

RAT/MOUSE-A-REST™ PLACE PACK®  
BRAND

ACCEPTED

Rat and Mouse Poison  
For Indoor and Outdoor  
Rodent Control

602-313

Kills Norway Rats, Roof Rats, House Mice and Warfarin Resistant Norway Rats.

ACTIVE INGREDIENT:

3-[3-(4'-Bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-  
-4-hydroxy-2H-1-benzopyran-2-one. . . . . 0.005%

INERT INGREDIENTS . . . . . 99.995%  
100.000%


KEEP OUT OF REACH OF CHILDREN  
CAUTION  
SEE OTHER CAUTIONS ON RIGHT SIDE OF PANEL

NET WT 1-1/2 OZ

D-8180

Manufactured By  
PURINA MILLS, INC.  
P.O. Box 66812  
St. Louis, Missouri 63166-6812 U.S.A.

NET 1-1/2 OZ  
PURINA® RAT/MOUSE-A-REST™  
PLACE PACK® BRAND



Right Side Panel

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

Do not get in eyes, on skin or on clothing. Wash arms, hands, and face with soap and water after applying and before eating and smoking. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For control of Norway rats, Roof rats and House mice. May be used in these two areas:

Urban areas: May be used in and around the periphery of homes, industrial, commercial, and public buildings. May also be used in alleys. Do not use in sewers.

Non-urban areas: May be used inside of homes and inside agricultural buildings. In both areas treated bait place packs must be placed in tamper-proof boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS:

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS:

NORWAY AND ROOF RATS:

Norway rats may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Apply at least 3 to 10 place packs of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

## APPLICATION DIRECTIONS: (Continued)

## HOUSE MICE:

Open pack and place  $\frac{1}{4}$  to  $\frac{1}{2}$  ounce of bait at each placement. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Placements should be made at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity ceases.

## RATS &amp; MICE:

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait according to "Disposal" paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty pouch into application equipment. Then dispose of empty pouch in a sanitary landfill or by incineration, or, if allowed by state or local authorities, by burning. If burned, stay out of smoke.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

9010 G

Printed in U.S.A.

