I > Issued 3/12/92 (Yellow)
Prev. Date Issued: 10/4/91
UPC Code: 01929801268

PRIORITY®

Flea & Tick Pyrethrin Dip For Dogs & Cats

KILLS FLEAS, TICKS, AND LICE ON DOGS AND CATS

A Highly Versatile Concentrate For Dilution with Water.

ACTIVE INGREDIENTS:

 Pyrethrins
 0.5%

 *Piperonyl Butoxide, Technical
 5.0%

 INERT INGREDIENTS
 94.5%

100.00%

*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and to 1.0% related compounds.


KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR A DITIONAL PRECAUTIONS

V-6301

NET 1 GAL.



2 7 3

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contamination of feed, food and utensils. Avoid contamination of food and utensils by keeping them covered while spraying the area.

Remove pets, birds and cover fish aquaria before room applications are made.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds.

No not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

 \mathcal{I} Do not use this product in or on electrical equipment due to the possibility of shock λ_0 . hazard.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store below 32°F. If frozen, thaw and shake well.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

SHAKE WELL BEFORE USE

AS A DIP

Dogs and Cats: Dilute at the rate of 3 ounces in 1 gallon of water. For rapid control of ticks, fleas, and lice, sponge or dip solution on entire animal, thoroughly wetting the skin. Avoid contact with pet's face and eyes.

No NOT treat kittens or pupples less than four weeks old.

AS MIST SPRAY

For rapid control of ticks, fless, and lice with a mist spray:
Dilute at the rate of 1 ounce in 9 ounces of water. To insure thorough coverage,
part the fur by stroking against the lay of the hair as spray is applied. Spray
ticks directly. Apply to moisten the fur lightly.

To Control Insects in Kennels and Animal Quarters:

'lilute at the rate of 1 ounce in 10 ounces of water.

Remove pets before treating the area and ventilate thoroughly before allowing them to re-en' the treated area.

for rapic panout of fleas and ticks in kennels, apply with a good machine adjusted deliver coarse droplets. Apply to the point of runoff, with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

Buyer assumes all risks of use, storage and handling of this product not in strict accordance with instructions given herewith.

Manufactured By
PURINA MILLS, INC.
P.O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

EPA Est. No. 602-MO-1 EPA Reg. No. 602-327