ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

see M2

5/4/10

PA Ferm 8570-6 (Rev. \$-76)

PREVIOUS EDITION MAY SE CEED UNTIL SUPPLY IS EXHAUSTED.

Carried States to the State State State States and the State of the St

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Hutton

Product Manager (17)

Insecticide-Rodenticide Branch

Registration Division (H7505C)

Enclosures

Date Issued: 9/6/89 (C een)

. Date Issued: 6/13/88

PUR I NA **BRAND** 

(9-Square Logo)

## ROSE AND FLOWER SPRAY

Ready-To-Use

(3-Row Checkerband ")

Kills gypsy moth caterpillars and Japanese beetles.

An effective insecticide for use on ornamentals.

Apply with conventional mechanical compressed air equipment or non-aerosol pump.

## ACTIVE INGREDIENTS:

\*Piperonyl Butoxide, Technical. . . . . . . . 100.00%

> \* Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

> > KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel For additional precautions.

G-8635

Manufactured By PURTNA MILLS, INC. P.O. Box 66812 St. Louis, Missouri 63166-6812 U.S.A.

> EPA Est. No. 602-MO-1 EPA Reg. No. 602-

NET 32 FL OZ (1 QT)

NET 32 EL OZ PURINA ROSE AND FLOWER **BRAND SPRAY** 

602-328

## PRECAUTIONARY STATEMENTS



## HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquaria before spraying.

## **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

## STORAGE AND DISPOSAL

**Storage:** Do not store or transport under 32°F. If freezing occurs, thaw and agitate vigorously.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty container. Rinse thoroughly before discarding in trash.

TO OPERATE: SHAKE BEFORE USING. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new go with and and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for stratege.

This insecticide may be used indoors or in greenhouses throughout. the growing season.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations.

Use on the following ornamentals: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolis, Marigolds, Roses, and Wandering Jew. To Control: aphids, flea beetles, leafhoppers, and whiteflies.

To kill gypsy moth cater llars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on contact:

On Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

# INDOORS AS A SPACE SPRAY

To control house flies, fruit flies, Mosquitoes, gnats and small flying moths: apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling the room with mist. Use 4 to 5 ounces per 1000 cubic feet of space. keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

8806 F

