

161 / 385478
18 / 25

FEB 13 1991

Purina Mills, Inc.
P.O. Box 66812
St. Louis, MO 63166-6812

Gentlemen:

Subject: Purina Tomato & Vegetable Spray
EPA Registration No. 602-329
Your Letter Dated July 30, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The 1-year ambient room temperature storage stability study was due 15 months after the date your product was granted registration. You must submit this study as soon as possible.


Sincerely yours,

RFA
Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (M7505C)

Enclosure

58029-I-Hollis-L17-9-KEVRIC-01/29/91-02/24/91-tlc:wo:ek:aw
CONCURRENCES

SYMBOL								
SURNAME								
DATE								



TOMATO AND VEGETABLE SPRAY (Ready-To-Use)

An effective insecticide for use on vegetables.

Apply with conventional mechanical compresses,
air equipment or non-aerosol pump.

ACTIVE INGREDIENTS

Pyrethrins 0.02%

*Piperonyl Butoxide, Technical 0.20%

INERT INGREDIENTS 99.78%

100.00%

*Equivalent to min. 0.16% (butyl arbutyl) (5-propylpiperonyl)
ether and 0.04% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONS.


PURINA MILLS, INC.

ST. LOUIS, MO. 63103

EPA Est. No. 602-MO-1

EPA Reg. No. 602-329

NET 32 FL OZ (1 QT)



643

FRONT

0000

PRECAUTIONARY STATEMENT

CAUTION: HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush with water. Get medical attention if irritation persists. Remove clothing before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, rivers, estuaries. Do not contaminate water by cleaning of equipment or disposal. Crabs may be killed at application rates recommended on this label. Buyer assumes all risks of use, storage or handling of this product in accordance with directions given hereon.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling. SHAKE BEFORE USING. Remove shipping cap, breathe and tighten securely. Prime sprayer by holding all cap in nozzle to spray or stream position before using. Hold foliage or surfaces being treated. Direct spray so that upper and lower surfaces are treated. Use caution on new growth and tender foliage. Remove sprayer between uses. Spray water through sprayer after each use. Spray and pump empty for storage.

This insecticide may be used outdoors or in greenhouses through pre-harvest treatment when other insecticides are prohibited or limited.

To control insects named, apply this spray to provide thorough leaf surfaces. Repeat treatment weekly or as needed to control day of harvest.

For Use On The Following Crops

Asparagus	Cabbage	Cranberries	Melons
Beans	Cauliflower	Eggplant	Potatoes
Broccoli	Celery	Kale	Pumpkins
Brussels Sprouts	Collards	Lettuces	Raspberries

Asparagus beetles	Mexican bean beetles	Cross-striped cabbageworms	Imagined
Aphids	12-Spotted cucumber beetles	Diamondback moth larvae	Spotted
Leafhoppers	beetles	Fla beetles	Grass
Whiteflies	Cabbage loopers	Harlequin bugs	Leaf

STORAGE AND DISPOSAL

Storage: Do not transport or store under 12°F. If freezing occurs, Pesticide Disposal: Securely wrap original container in several inches of newspaper.

Container Disposal: Do not reuse container. Rinse thoroughly. RHH-1, G-9175

BACK