a. Add the phrase, "EPA Registration No. 602-336."

c. To the Statement of Practical Treatment add:

artificial respiration if indicated.

attention if irritation persists.

If Inhaled:

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

b. Change "Cis/trans ratio" to "Cis/trans isomer ratio."

If on skin: Wash with soap and water. Get medical

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Remove victim to fresh air.

DATE

Apply

d. Add the following under precaution under Note:

When spraying inside premises, remove animals prior to treatment. Cover or remove feed and water.

- 3. The following deals with chemistry for this product:
 - a. Based on the current Confidential Statement of Formula (CSF) dated 1/23/89, your product will not meet the label claim for the active ingredient. Please revise the CSF or the label so the information agrees. Note that the lower limit of the active must be the same as the label claim in pure active form.
 - b. A one year storage stability study must be conducted. The formulated product must be analyzed for its active ingredient at time zero and through a year of storage. The storage should be in warehouse conditions of temperature and humidity and stored in similar containers you will be using in the trade.

 Note: For the Storage Stability study you cannot reference the concentrate you are using to formulate your product.
- 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 15 Insecuicide-Rodenticide Branch Registration Division (H7505C)

Date-Issued: 6/15/90

Prev. Date Issued: 1/23/89

(9-Square Logo _)

For Agricultural Use Only

PURINA

EPA Rog. 602-

(3-Row Checkerband 0)

HARD HITTER WETTABLE FOWDER
BRAND

For residual control of House Flies, Stable Flies and other manure breeding flies.

ACTIVE INGREDIENT:

Permethrin (3-Phenoxyphenyl) methyl (±) cis,trans-3- (2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate*.... 25%

*Cis/trans/ratio: min. 35% (\pm) cis and max. 65% (\pm) trans.

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel for Additional Precautions

NET WT 6 OZ

D-3931

Manufactured By
PURINA MILLS, INC.
P. O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

NET 6 OZ

PURINA HARD
HITTER WETTABLE POWDER
BRAND

DEC. 4 1990

§

PRECAUTIONARY STATEMENTS IIAZARDS TO HUMANS & IXMESTIC ANIMALS WARNING

MAY CAUSE EYE IRRITATION. HARMFUL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If IN EYES: Flush eyes with plenty of water. If irritation persists, seek medical

attention.

If SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching the back of

throat with finger. Do not induce vomiting or give anything by mouth to

an unconscious person.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Mix only as needed. Do not store diluted material. Keep container closed securely when not in use. Do not store near food or feed.

Pesticide Control: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

For Agricultural Use Only.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Manure removal should precede spraying and sanitation practices continued to eliminate pest breeding sites. Retreat as necessary but not more often than every two weeks.

Spray directly to walls and ceilings as a residual surface spray only. Do not apply directly to livestock or poultry. Do not apply to manure or litter. Avoid containaination of feed and water.

Shake powder well before measuring and mixing.

BEST AVAILABLE COPT

Apply to:	Target Insects	Method of Application	Dilution	Application Rate
	House Flies, Stable Flies, and other manure-breedin Flies. Aids is control of coc roaches, mosqu Spiders, Ants, Crickets & Face Flies.	n k- itoes,	Using the enclosed scoop, measure 1 scoop for each gallon of water. This container will make gallons of spray.	Spray to point of runoff. As a guide, use 1 galion of spray per 750 sq. ft. (Range 400-1400 sq. ft.) This container will treat up to sq. ft.

NOTE: Under severe fly pressure, double the concentration for premise application.

Apply spray to all surfaces where flies rest. Avoid spraying feeders and waterers. Do not apply as a larvicide.

EPA Est. No. 602-M0-1

QUALITY CONTROLLED BY PURINA RESEARCH

8901 A

