

NOTICE OF PESTICIDE:

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Purina Assult Mouse Pellets

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Purina Mills Inc
P.O. Box 66812
St. Louis MO 63165-6812

11/18
253,666
2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 602-339."
- b. Under "APPLICATION DIRECTIONS", change second paragraph to read:

"HOUSE MICE: For typical placements, apply 1/4-1/2 ounce (714 g) of bait per placement. Up to 3 ounces (85 g) may be needed in placements where heavy feeding is expected. Placements should be made at 8- to 12-foot intervals."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

PM16
Reason For Issue: For submission
to EPA.

602-339

Date Issued: 9/7/89 (Green)

Prev. Date Issued: None

3 of 5

FRONT PANEL

(9-Square Logo)

PURINA

ASSAULT MOUSE
BRAND

PELLETS

Mouse Poison
For Indoor and Outdoor
Rodent Control

Kills House Mice

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 02 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

602-339

House mice consume a lethal dose in a single feeding with dead rodents appearing two to three days after treatment begins. Rodents cease feeding after consuming a lethal dose in a single-night's feeding. ASSAULT Mouse Pellets are effective against anticoagulant-resistant mice.

ACTIVE INGREDIENT:

bromethalin: N methyl-2,4-dinitro-N-(2,4,6-tribromophenyl) -
6-(trifluoromethyl) benzenamine 0.01%

INERT INGREDIENTS 99.99%
100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE OTHER CAUTIONS BELOW

D-0084

Manufactured By
PURINA MILLS, INC.
P.O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

EPA Est. No. 602-MO-1
EPA Reg. No. 602-

NET WT 7 LB

Right Panel

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS****CAUTION**

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing. In case of accidental contact, flush eyes or skin with water and wash contaminated clothing. Seek medical attention immediately if ingested or if breathing difficulty occurs or irritation persists. Wash hands thoroughly after handling Assault Mouse Pellets.

NOTE TO PHYSICIAN:

Assault Mouse Pellets are not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

For control of house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. May also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use Assault Mouse Pellets in sewers. Bait must be placed in tamper-proof bait boxes or in locations inaccessible to children, pets, domestic animals or wildlife. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS

Determine areas where mice will most likely find and consume the bait. Generally, these areas are along the walls, by gnawed openings, in or beside burrows, in corners, and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food accessible to rodents as possible.

APPLICATION DIRECTIONS

Assault Mouse Pellets are a new rodenticide completely unlike anticoagulants. Generally rodents will consume a lethal dose in a single feeding with death occurring two or three days later.

HOUSE MICE: Apply one ounce per placement at 8 to 12 foot intervals depending upon activity.

PM16. . .

602-339

545

BAITING STRATEGY: Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect the placements and replenish bait at sites where there is evidence of heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from other chemicals. Keep containers closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

8909 A

Printed in U.S.A.