

Reg # 602-342

PM-14

174

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 602-342	DATE OF ISSUANCE 5-17-91
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Purina Assault Rat and Mouse Place Pack	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Purina Mills, Inc.
 P.O. Box 66812
 St. Louis, MO. 63166-6812

5388791 161
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 602-342" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Robert A. Forrest
 Product Manager (14)
 Insecticide-Rodenticide Branch
 Registration Division (H7504C)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Robert A. Forrest

DATE

5-17-91

Reason For Issue: New product.
For submission to EPA.

Date Issued: 7/31/89 (Green)

Prev. Date Issued: None

274

Jacket Copy

(9-Square Logo)

FRONT PANEL

EPA Reg. No. 602-

PURINA
BRAND

ASSAULT RAT AND MOUSE

PLACE PACK

Rat and Mouse Poison
For Indoor and Outdoor
Rodent Control

Kills Roof Rats, Norway Rats and House Mice

Rats and mice consume a lethal dose in a single feeding with dead rodents appearing two to three days after treatment begins. Rodents cease feeding after consuming a lethal dose in a single-night's feeding. ASSAULT Rat and Mouse Place Pack is effective against anticoagulant-resistant rats and mice.

ACTIVE INGREDIENT:

bromethalin: N methyl-2,4-dinitro-N-(2,4,6-tribromophenyl) -
6-(trifluoromethyl) benzenamine 0.01%

INERT INGREDIENTS 99.99%
100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE OTHER CAUTIONS BELOW


NET WT 1.5 OZ

D-0141

Manufactured By
PURINA MILLS, INC.
P.O. Box 66812
St. Louis, Missouri 63166-6812 U.S.A.

NET 1.5 OZ
PURINA
BRAND
ASSAULT RAT AND MOUSE
PLACE PACK
RAT POISON

ACCEPTED
MAY 17 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 602-342



3 5 4

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep away from humans, domestic animals and pets. May be harmful or fatal if swallowed. Avoid contact with skin, eyes or clothing. In case of accidental contact, flush eyes or skin with water and wash contaminated clothing. Seek medical attention immediately if ingested or if breathing difficulty occurs or irritation persists. Wash hands thoroughly after handling Assault Rat and Mouse Place Pack.

NOTE TO PHYSICIAN:

Assault Rat and Mouse Place Pack is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

For control of Norway and Roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. May also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. Do not use Assault Rat and Mouse Place Pack in sewers. Bait must be placed in tamper-proof bait boxes or in locations inaccessible to children, pets, domestic animals or wildlife. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS

Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along the walls, by gnawed openings, in or beside burrows, in corners, and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food accessible to rodents as possible.

APPLICATION DIRECTIONS

Assault Rat and Mouse Place Pack is a new rodenticide completely unlike anticoagulants. Generally rodents will consume a lethal dose in a single feeding with death occurring two or three days later.

NORWAY AND ROOF RATS: Apply 1 to 4 place packs per placement. Adjust the amount applied to the level of rat feeding expected at each bait placement. Placements should be spaced at 20 to 30 foot intervals.

HOUSE MICE: Apply 1 place pack per placement at 8 to 12 foot intervals depending upon activity.

4 7 4

BAITING STRATEGY: Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect the placements and replenish bait at sites where there is evidence of heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from other chemicals. Keep containers closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty containers. Then dispose of liner in a sanitary landfill or by incineration if allowed by state or local authorities. If burned, stay out of smoke.

QUALITY CONTROLLED BY PURINA RESEARCH

EPA Est. No. 602-MO-1

8908 A

Printed in U.S.A.